

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Immediate Drinking Water Sampling Plan

| Sunday                                                                                                                                                                                                                                         | Monday                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Tuesday                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Wednesday                                                                                                                                                                                                                                                                                                                   | Thursday                                                                                                                                                                                                                                                                                                                                                                                              | Friday                                                                                                                                                                                                                                                                                                                                                                                                                  | Saturday                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| 28-Nov-21                                                                                                                                                                                                                                      | 29-Nov-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 30-Nov-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1-Dec-21                                                                                                                                                                                                                                                                                                                    | 2-Dec-21                                                                                                                                                                                                                                                                                                                                                                                              | 3-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                                | 4-Dec-21                            |
| DOH Lab / JBPBH Lab                                                                                                                                                                                                                            | Eurofins-Seattle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Eurofins-Seattle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                             | Eurofins-Seattle                                                                                                                                                                                                                                                                                                                                                                                      | Eurofins-Seattle                                                                                                                                                                                                                                                                                                                                                                                                        | Eurofins-Seattle                    |
| <b>Sample Locations:</b><br>1. 1923 Kirkpatrick<br>2. Red Hill Shaft<br>3. 3409 Taylor<br>4. 3307 Jaluit<br>5. Halsey Terrace NEX 6890 Nimitz Rd<br>6. 4076 Enger Street<br>7. NAVFAC Bldg A4<br>8. 4726 Reeves Street<br>9. 3107 Anderson Ave | <b>Sample Locations:</b><br>1. RHS DW Pre-chlorination<br>2. RHS DW Post-chlorination<br>3. Halsey Terrace Community Center<br>4. Radford Terrace Community Center<br>5. Catlin ParkCommunity Center<br>6. Moanalua Terrace Community Center<br>7. Peltier Child Development Center<br>8. Nimitz Elementary School<br>9. Pearl Harbor Elementary School<br>10. Tank S2 (Facility No: S2 at FW STOR TANK, Halawa STOR)<br>11. Tank S1 (Facility No: S1 at FW STOR TANK, Halawa STOR)<br>12. Aliamanu Military Reservation (AMR) AAFES Aliamanu Express/gas station area<br>13. Red Hill Mauka Community Center | <b>Sample Locations:</b><br>1. Bishop Point - Community barbecue pit<br>2. Shipyard - West end of building 167<br>3. Submarine base – Pier Side Child Development Center<br>4. Halawa Landing – Commander in Chief (CIC) Boathouse<br>5. FISC/NAVSUP Area – near base of NAVSUP FLC flag pole<br>6. Makalapa Housing - Generator building at U.S. Pacific Fleet Headquarters corporate offices<br>7. Hickam Officer Housing - Hickam Officer's Club<br>8. Hale Moku Housing - JBPBH Pass and ID Office | Groundwater Sampling for May 6 and Nov 20 Events                                                                                                                                                                                                                                                                            | <b>Sample Locations:</b> Group A<br>1. Halsey Terrace<br>2. Radford Terrace<br>3. Catlin Park<br>4. Doris Miller Park<br>5. Moanalua Terrace<br>6. Hale Moku / Hokulani<br>7. Waiawa PS Pre-Chlorination<br>8. Waiawa PS Post-Chlorination<br>9. Earhart (Hickam Community)<br>10. Hale Nakoa(Hickam Community)<br>11. Officer Field(Hickam Community)<br>12. Onizuka(Hickam Community)               | <b>Sample Locations:</b> Group B<br>1. Aliamanu MR<br>2. Red Hill Housing<br>3. Halawa PS Pre-Chlorination<br>4. Halawa PS Post-Chlorination<br>5. Red Hill PS Pre-Chlorination/Aquifer<br>6. S1/S2 Tank<br>7. Red Hill HSG Storage Tank<br>8. Shipyard Clinic<br>9. SUBASE Lockwood Hall<br>10. Ford Island CDC<br>11. Makalapa Clinic<br>12. NEX Commissary<br><br>Add'l:<br>1. Red Hill Elementary<br>1. RHMW2254-01 | <b>Sample Locations:</b> Group A    |
|                                                                                                                                                                                                                                                | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                             | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                                                                                                   | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                                                                                                                     | Tests: BTEX, Naphthalene, TPH-g/d/o |
| Results rec'd                                                                                                                                                                                                                                  | Results rec'd                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Results rec'd                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Results rec'd                                                                                                                                                                                                                                                                                                               | Results rec'd                                                                                                                                                                                                                                                                                                                                                                                         | Results rec'd                                                                                                                                                                                                                                                                                                                                                                                                           | Results rec'd                       |
| 5-Dec-21                                                                                                                                                                                                                                       | 6-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 7-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 8-Dec-21                                                                                                                                                                                                                                                                                                                    | 9-Dec-21                                                                                                                                                                                                                                                                                                                                                                                              | 10-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                               | 11-Dec-21                           |
| Eurofins-Seattle                                                                                                                                                                                                                               | Eurofins-Seattle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Eurofins-Seattle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Eurofins-Seattle                                                                                                                                                                                                                                                                                                            | Week                                                                                                                                                                                                                                                                                                                                                                                                  | Week                                                                                                                                                                                                                                                                                                                                                                                                                    | Week                                |
| <b>Sample Locations:</b> Group B<br>Add'l: RHMW2254-01 (split w/ DOH)                                                                                                                                                                          | <b>Sample Locations:</b> Group A<br>Add'l:<br>1. Red Hill Elementary Cafeteria<br>2. Red Hill Elementary Girl's Restroom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Sample Locations:</b> Group B<br>Add'l (split w/ DOH):<br>1. Waiawa Shaft Pre-Chlorination<br>2. Waiawa Shaft Post-Chlorination                                                                                                                                                                                                                                                                                                                                                                     | <b>Sample Locations:</b> Group A<br>Add'l:<br>1. Navy Aiea-Halawa Shaft PS Pre-Chlorination<br>2. Navy Aiea-Halawa Shaft PS Post-Chlorination<br>3. Navy Aiea-Halawa Shaft PS Pre-Chlorination Pump Room<br>4. Navy Aiea-Halawa Shaft PS Well<br>5. Red Hill Elementary Cafeteria<br>6. Red Hill Elementary Girl's Restroom | <b>Sample Locations:</b> Group B<br>Add'l (split w/ DOH):<br>1. Storage Tank #1<br>2. Storage Tank #2<br>3. 6181 Ibis Ave<br>4. 6674 106th Street<br>5. 5534 Bittern Avenue<br>6. 5673 Dovekie Avenue<br>7. 5669A Dovekie Avenue<br>8. 4908 Mokupea Place Apt. B<br>9. Halawa Correctional Facility<br>10. Navy Aiea-Halawa Shaft PS Pre-Chlorination Pump Room<br>11. Navy Aiea-Halawa Shaft PS Well | <b>Sample Locations:</b> Group A<br>Add'l (split w/ DOH):<br>1. 5682 Dovekie Avenue<br>2. 5012A Iroquois Ave<br>3. 5861 Fulmar Avenue<br>4. 5856B Fulmar Avenue<br>5. 5869 Fulmar Avenue<br>6. 4976 Kela Place Apt B<br>7. 7273 Elm Place<br>8. 3763 Elm Drive<br>9. 5321 Cedar Drive<br>10. 7257 Birch Circle<br>11. 7236 Birch Circle<br>11. 7236 Birch Circle                                                        | <b>Sample Locations:</b> Group B    |
| Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                            | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Tests: BTEX, Naphthalene, TPH-g/d/o                                                                                                                                                                                                                                                                                         | Tests:                                                                                                                                                                                                                                                                                                                                                                                                | Tests:                                                                                                                                                                                                                                                                                                                                                                                                                  | Tests:                              |
| Results rec'd                                                                                                                                                                                                                                  | Results rec'd                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Results rec'd                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Results rec'd                                                                                                                                                                                                                                                                                                               | Results expected 12 Dec 21                                                                                                                                                                                                                                                                                                                                                                            | Results expected 13 Dec 21                                                                                                                                                                                                                                                                                                                                                                                              | Results expected 14 Dec 21          |
| 12-Dec-21                                                                                                                                                                                                                                      | 13-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 14-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 15-Dec-21                                                                                                                                                                                                                                                                                                                   | 16-Dec-21                                                                                                                                                                                                                                                                                                                                                                                             | 17-Dec-21                                                                                                                                                                                                                                                                                                                                                                                                               | 18-Dec-21                           |
| Week                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                         |                                     |
| <b>Sample Locations:</b><br>1. Manana Housing<br>2. Manana Housing<br>3. Field QC<br>4. Field QC<br>5. Halawa ST1<br>6. Halawa ST1<br>7. Halawa ST2<br>8. Halawa ST2<br>9. Red Hill ST1<br>10. Red Hill ST2<br>11. Red Hill ST2                | <b>Sample Locations:</b><br>1. Smith Storage Tank S-325 (top)<br>2. Camp Smith Storage Tank S-326 (top)<br>3. Camp Smith Storage Tank 684 (top)<br>4. Camp Smith Storage Tank 684 (bottom)<br>5. Camp Smith Storage Tank S-325 (bottom)<br>6. Camp Smith Storage Tank S-326 (bottom)<br>7. Iroquois Point Housing 1 - 6737B 108th St.<br>8. Iroquois Point Housing 2 - 5552 Bittern Ave<br>9. Manana Housing 1 - 7331 Birch Ave.<br>10. Manana Housing 2 - 5335 Cedar Dr.                                                                                                                                     | <b>Sample Locations:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Sample Locations:</b>                                                                                                                                                                                                                                                                                                    | <b>Sample Locations:</b>                                                                                                                                                                                                                                                                                                                                                                              | <b>Sample Locations:</b>                                                                                                                                                                                                                                                                                                                                                                                                | <b>Sample Locations:</b>            |
| Tests:                                                                                                                                                                                                                                         | Tests:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Tests:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Tests:                                                                                                                                                                                                                                                                                                                      | Tests:                                                                                                                                                                                                                                                                                                                                                                                                | Tests:                                                                                                                                                                                                                                                                                                                                                                                                                  | Tests:                              |
| Results expected 15 Dec 21                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                         |                                     |

## Joint Base Pearl Harbor Hickam Drinking Water Issue - Drinking Water Results

### Data Legend

Non-bold text indicates non-detected value

**Bold text** indicates detected value, but below the Department of Health (DOH) Environmental Action Level (EAL), DOH Maximum Contaminant Level (MCL), and EPA MCL

**Bold and light orange shaded text** indicates exceeds the DOH Tier 1 EAL.

**Bold and orange shaded text** indicates exceeds the DOH MCL.

**Bold and blue shaded text** indicates exceeds the EPA MCL.

Black text indicates preliminary laboratory results.

Blue text indicates results are laboratory final and undergoing third-party validation.

Green text indicates results have completed third-party validation.

<sup>1</sup>Pumps at Aiea-Halawa Pump Station were turned off on 3 Dec 21. Samples collected after the pumps were turned off are not representative of the Aiea-Halawa well water. Pre-chlorination samples were collected at the dead end of the distribution system.

— = not analyzed or not applicable

µg/L = microgram per liter (same as parts per billion)

CAS = Chemical Abstracts Service

J = estimated value

J- = estimated value, low bias

J+ = estimated value, high bias

mg/L = milligram per liter

no. = number

Q = one or more quality control outside of acceptance criteria

QC = quality control

U = nondetect value

UQ = nondetect value with one or more quality control outside of acceptance criteria

TB = trip blank. Do not count for total sample number. Only done for quality control purpose

TPH-g = total petroleum hydrocarbons-gasoline range organic

TPH-d = total petroleum hydrocarbons-diesel range organic

TPH-o = total petroleum hydrocarbons-residual range

EPA MCLs are included for reference only; the data were collected using SW-846 methods and not appropriate for comparison to MCLs.

P = Results Pending

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Eurofins TestAmerica Seattle Laboratory Results - Non-Well Results

| Analyte                                                   |                                                                                |                                                                                                              |           |               |               |                       |            | Benzene | Ethylbenzene | Toluene  | Xylenes   | Naphthalene | TPH-g (C6-C12) | TPH-d (C9-C25)<br>b | TPH-d (C9-C25) with Silica<br>Gel Cleanup | TPH-o (C24-<br>C40)<br>b | TPH-o (C24-C40) with<br>Silica Gel Cleanup |
|-----------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-----------|---------------|---------------|-----------------------|------------|---------|--------------|----------|-----------|-------------|----------------|---------------------|-------------------------------------------|--------------------------|--------------------------------------------|
| CAS No.                                                   |                                                                                |                                                                                                              |           |               |               |                       |            | 71-43-2 | 100-41-4     | 108-88-3 | 1330-20-7 | 91-20-3     | PHCC6C10       | PHCC10C24           | PHCC10C24SGC                              | PHCC24C40                | PHCC24C40SGC                               |
| Method                                                    |                                                                                |                                                                                                              |           |               |               |                       |            | 8260B   | 8260B        | 8260B    | 8260B     | 8260B       | 8260B          | 8015B_E             | 8015B_E                                   | 8015B_E                  | 8015B_E                                    |
| DOH Tier 1 EAL (Table D-1b)                               |                                                                                |                                                                                                              |           |               |               |                       |            | 5       | 30           | 40       | 20        | 17          | 300            | 400                 | —                                         | 500                      | —                                          |
| EPA MCL                                                   |                                                                                |                                                                                                              |           |               |               |                       |            | 5       | 700          | 1000     | 10000     | —           | —              | —                   | —                                         | —                        | —                                          |
| Unit                                                      |                                                                                |                                                                                                              |           |               |               |                       |            | µg/L    | µg/L         | µg/L     | µg/L      | µg/L        | µg/L           | µg/L                | µg/L                                      | µg/L                     | µg/L                                       |
| Location (General Location / Building)                    | Specific Location                                                              | Field Observations                                                                                           | Sample ID | Sampling Date | Sampling Time | Associated Trip Blank | Type       | Result  | Result       | Result   | Result    | Result      | Result         | Result              | Result                                    | Result                   | Result                                     |
| Red Hill PS Pre-Chlorination/Aquifer                      | pre-chlorination spigot                                                        | Ambient VOCs in shaft=0.6 ppm; no color or odor or VOCs stronger than ambient conditions noted               | ERH1970   | 11/29/2021    | 14:05         | ERH1985               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 1.4 J     | 3.8         | 31 J           | 290 U               | 64 J                                      | 290 U                    | 73 U                                       |
| Red Hill PS DW Compliance Point                           | DW Compliance Point (post-chlorination)                                        | Ambient VOC=0.1 ppm, headspace=0.1 ppm , no color or odors noted in samples                                  | ERH1971   | 11/29/2021    | 14:40         | ERH1985               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 40 J                                      | 290 U                    | 73 U                                       |
| Halsey Terrace                                            | Community Center hose bib on side of building                                  | Ambient PID: 4.3 ppm, PID of splash area on ground: 6.5 ppm, no odor detected, no visual indication of sheen | ERH1972   | 11/29/2021    | 13:20         | ERH1986               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 33 J                                      | 290 U                    | 72 U                                       |
| Moanalua Terrace                                          | Community Center hose bib on side of building                                  | Ambient PID: 2.0 ppm, Sampling Point PID: 2.5 ppm, no odor detected, no visual indication of sheen           | ERH1973   | 11/29/2021    | 14:25         | ERH1986               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 300 U               | 28 J                                      | 300 U                    | 74 U                                       |
| Radford Terrace                                           | Community Center hose bib on side of building                                  | Ambient PID: 1.5 ppm, Sampling Point PID: 3.1 ppm, no odor detected, no visual indication of sheen           | ERH1974   | 11/29/2021    | 13:40         | ERH1986               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 300 U               | 30 J                                      | 300 U                    | 74 U                                       |
| Red Hill Mauka                                            | Bldg. 73140 Community Center hose bib on side of building                      | Ambient PID: 2.4 ppm, Sampling Point PID: 2.4 ppm, no odor detected, no visual indication of sheen           | ERH1977   | 11/29/2021    | 19:15         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 300 U               | 44 J                                      | 300 U                    | 75 U                                       |
| S1/S2 Tank                                                | Overflow/Storage Tank S1                                                       | Ambient PID: 3.6 ppm, Sampling Point PID: 3.6 ppm, no odor detected, no visual indication of sheen           | ERH1978   | 11/29/2021    | 18:25         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 300 U               | 23 J                                      | 300 U                    | 76 U                                       |
| S1/S2 Tank                                                | Overflow/Storage Tank S2                                                       | Ambient PID: 1.4 ppm, Sampling Point PID: 1.4 ppm, no odor detected, no visual indication of sheen           | ERH1979   | 11/29/2021    | 18:15         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 32 J                                      | 290 U                    | 73 U                                       |
| Aliamanu MR                                               | AMR AAFES Aliamanu Express/Gas Station Area                                    | Ambient PID: 2.3 ppm, Sampling Point PID: 2.4 ppm, no odor detected, no visual indication of sheen           | ERH1980   | 11/29/2021    | 18:55         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 29 J                                      | 290 U                    | 72 U                                       |
| Catlin Park                                               | Community Center hose bib on side of building                                  | Ambient PID: 4.0 ppm, Sampling Point PID: 4.0 ppm, no odor detected, no visual indication of sheen           | ERH1981   | 11/29/2021    | 14:05         | ERH1986               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 26 J                                      | 290 U                    | 72 U                                       |
| Peltier Child Development Center                          | hose bib on side of building                                                   | Ambient PID: 4.0 ppm, Sampling Point PID: 4.0 ppm, no odor detected, no visual indication of sheen           | ERH1982   | 11/29/2021    | 16:45         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 300 U               | 30 J                                      | 300 U                    | 74 U                                       |
| Nimitz Elementary School                                  | hose bib in courtyard                                                          | Ambient PID: 7.0 ppm, Sampling Point PID: 7.0 ppm, no odor detected, no visual indication of sheen           | ERH1983   | 11/29/2021    | 17:25         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 73 U                                      | 290 U                    | 73 U                                       |
| Pearl Harbor Elementary School                            | hose bib on side of building                                                   | Ambient PID: 4.2 ppm, Sampling Point PID: 4.7 ppm, no odor detected, no indication of visual sheen           | ERH1984   | 11/29/2021    | 17:40         | ERH1987               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U               | 73 U                                      | 290 U                    | 73 U                                       |
| Field QC                                                  | —                                                                              | —                                                                                                            | ERH1985   | 11/29/2021    | 14:00         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Field QC                                                  | —                                                                              | —                                                                                                            | ERH1986   | 11/29/2021    | 13:15         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Field QC                                                  | —                                                                              | —                                                                                                            | ERH1987   | 11/29/2021    | 17:35         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Hale Moku / Hokulani                                      | Pass and ID Office, hose bib on left side of main door                         | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1988   | 11/30/2021    | 12:15         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 25 J                                      | 310 U                    | 76 U                                       |
| Halawa Landing                                            | Commander in Chief (CIC) Boathouse                                             | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1989   | 11/30/2021    | 12:50         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 76 U                                      | 310 U                    | 76 U                                       |
| Makalapa Clinic                                           | Generator building atU.S. Pacific Fleet Headquarters corporate offices         | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1990   | 11/30/2021    | 13:10         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 77 U                                      | 310 U                    | 77 U                                       |
| FISC/NAVSUP Area                                          | near base of NAVSUP FLC flag pole                                              | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1991   | 11/30/2021    | 13:35         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 340 U               | 85 U                                      | 340 U                    | 85 U                                       |
| Submarine Base                                            | Pier Side Child Development Center                                             | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1992   | 11/30/2021    | 14:00         | ERH1999               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 310 U               | 24 J                                      | 310 U                    | 76 U                                       |
| Officer Field (Hickam Community) - Hickam Officer Housing | Hickam Officer's Club                                                          | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1995   | 11/30/2021    | 14:30         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 78 U                                      | 310 U                    | 78 U                                       |
| Bishop Point                                              | Community barbecue pit                                                         | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1996   | 11/30/2021    | 14:35         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 77 U                                      | 310 U                    | 77 U                                       |
| Shipyards                                                 | West end of Bldg. 167                                                          | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm                                                            | ERH1997   | 11/30/2021    | 14:10         | ERH1999               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 77 U                                      | 310 U                    | 77 U                                       |
| Field QC                                                  | —                                                                              | —                                                                                                            | ERH1999   | 11/30/2021    | 12:00         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Officer Field (Hickam Community)                          | 15th Wing Headquarters (Bldg. 1110) hose bib on left side of building entrance | Sampling Point PID: 0.0 ppm, no odor detected                                                                | ERH2021   | 12/2/2021     | 13:55         | ERH2031, ERH2032      | Normal     | 0.50 UQ | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 300 U               | 75 U                                      | 300 U                    | 75 UQ                                      |
| Hale Moku / Hokulani                                      | Pass and ID Office, hose bib on left side of main door                         | Sampling Point PID: 0.0 ppm, no odor detected                                                                | ERH2022   | 12/2/2021     | 13:15         | ERH2031, ERH2032      | Normal     | 0.50 UQ | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 71 U                                      | 290 U                    | 71 UQ                                      |

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Eurofins TestAmerica Seattle Laboratory Results - Non-Well Results

|                                             |                                                                                  |                                                                                |           |               |               |                       |            | Analyte                     | Benzene | Ethylbenzene | Toluene  | Xylenes   | Naphthalene | TPH-g (C6-C12) | TPH-d (C9-C25)<br>b | TPH-d (C9-C25) with Silica<br>Gel Cleanup | TPH-o (C24-C40)<br>b | TPH-o (C24-C40) with<br>Silica Gel Cleanup |
|---------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----------|---------------|---------------|-----------------------|------------|-----------------------------|---------|--------------|----------|-----------|-------------|----------------|---------------------|-------------------------------------------|----------------------|--------------------------------------------|
|                                             |                                                                                  |                                                                                |           |               |               |                       |            | CAS No.                     | 71-43-2 | 100-41-4     | 108-88-3 | 1330-20-7 | 91-20-3     | PHCC6C10       | PHCC10C24           | PHCC10C24SGC                              | PHCC24C40            | PHCC24C40SGC                               |
|                                             |                                                                                  |                                                                                |           |               |               |                       |            | Method                      | 8260B   | 8260B        | 8260B    | 8260B     | 8260B       | 8260B          | 8015B_E             | 8015B_E                                   | 8015B_E              | 8015B_E                                    |
|                                             |                                                                                  |                                                                                |           |               |               |                       |            | DOH Tier 1 EAL (Table D-1b) | 5       | 30           | 40       | 20        | 17          | 300            | 400                 | —                                         | 500                  | —                                          |
|                                             |                                                                                  |                                                                                |           |               |               |                       |            | EPA MCL                     | 5       | 700          | 1000     | 10000     | —           | —              | —                   | —                                         | —                    | —                                          |
|                                             |                                                                                  |                                                                                |           |               |               |                       |            | Unit                        | µg/L    | µg/L         | µg/L     | µg/L      | µg/L        | µg/L           | µg/L                | µg/L                                      | µg/L                 | µg/L                                       |
| Location (General Location / Building)      | Specific Location                                                                | Field Observations                                                             | Sample ID | Sampling Date | Sampling Time | Associated Trip Blank | Type       | Result                      | Result  | Result       | Result   | Result    | Result      | Result         | Result              | Result                                    | Result               | Result                                     |
| Onizuka (Hickam Community)                  | Bldg. 5500 hose bib on right side of building near entrance                      | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2023   | 12/2/2021     | 14:10         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 71 U                                      | 290 U                | 71 UQ                                      |
| Hale Nakoia (Hickam Community)              | Hose bib on south side of Bldg. 1723                                             | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2024   | 12/2/2021     | 14:25         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 300 U               | 74 U                                      | 300 U                | 74 UQ                                      |
| Halsey Terrace                              | Community Center hose bib on side of building                                    | Sampling Point PID: 0.4 ppm, no odor detected                                  | ERH2025   | 12/2/2021     | 12:05         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Catlin Park                                 | Community Center hose bib on side of building                                    | Sampling Point PID: 0.4 ppm, no odor detected                                  | ERH2026   | 12/2/2021     | 12:25         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 23 J                                      | 290 U                | 72 UQ                                      |
| Radford Terrace                             | Community Center hose bib on side of building                                    | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2027   | 12/2/2021     | 11:00         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Waiawa PS Pre-Chlorination                  | swagelok faucet                                                                  | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2028   | 12/2/2021     | 12:30         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Earhart (Hickam Community)                  | Chapel (Bldg. 1750) hose bib on left side of building.                           | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2029   | 12/2/2021     | 14:35         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Waiawa PS Post-Chlorination                 | faucet inside chlorination room                                                  | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2030   | 12/2/2021     | 12:45         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 71 U                                      | 290 U                | 70 JQ                                      |
| Field QC                                    | —                                                                                | —                                                                              | ERH2031   | 12/2/2021     | 10:50         | —                     | Trip Blank | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | —                   | —                                         | —                    | —                                          |
| Field QC                                    | —                                                                                | —                                                                              | ERH2032   | 12/2/2021     | 10:55         | —                     | Trip Blank | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | —                   | —                                         | —                    | —                                          |
| Moanalua Terrace                            | Community Center hose bib on side of building                                    | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2033   | 12/2/2021     | 12:55         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U               | 77 U                                      | 310 U                | 77 UQ                                      |
| Doris Miller Park                           | Hunt Military Community Center southside of building hose bib near picnic tables | Sampling Point PID: 0.3 ppm, no odor detected                                  | ERH2034   | 12/2/2021     | 11:35         | ERH2031, ERH2032      | Normal     | 0.50 UQ                     | 0.80 UQ | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U               | 78 U                                      | 310 U                | 78 UQ                                      |
| NEX Commissary                              | Bldg. 607 hose bib backside of building                                          | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2035   | 12/3/2021     | 11:30         | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 73 U                                      | 290 U                | 73 UQ                                      |
| Shipyard Clinic                             | Bldg. 1750 hose bib on side of building                                          | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2036   | 12/3/2021     | 11:06         | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 73 U                                      | 290 U                | 73 UQ                                      |
| Makalapa Clinic                             | Bldg. 1407 hose bib on side of building                                          | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2037   | 12/3/2021     | 10:45         | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| SUBASE Lockwood Hall                        | hose bib at entrance of hotel                                                    | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2038   | 12/3/2021     | 10:30         | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Ford Island CDC                             | hose bib on side of building                                                     | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2039   | 12/3/2021     | 9:55          | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Navy Aiea-Halawa Shaft PS Pre-chlorination  | left spigot                                                                      | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2040   | 12/3/2021     | 9:45          | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Navy Aiea-Halawa Shaft PS Post-Chlorination | right spigot                                                                     | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2041   | 12/3/2021     | 10:00         | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 300 U               | 48 J                                      | 300 U                | 74 UQ                                      |
| Red Hill HSG Storage Tank                   | Green tank spigot (swagelok faucet installed by NAVFAC)                          | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2042   | 12/3/2021     | 11:00         | ERH2044               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 31 J                                      | 290 U                | 72 UQ                                      |
| Field QC                                    | —                                                                                | —                                                                              | ERH2043   | 12/3/2021     | 11:58         | —                     | Trip Blank | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | —                   | —                                         | —                    | —                                          |
| Field QC                                    | —                                                                                | —                                                                              | ERH2044   | 12/3/2021     | 9:50          | —                     | Trip Blank | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | —                   | —                                         | —                    | —                                          |
| S1/S2 Tank                                  | Overflow/Storage Tank S2                                                         | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2045   | 12/3/2021     | 12:25         | ERH2043               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Aliamanu MR                                 | AMR AAFES Aliamanu Express/Gas Station Area                                      | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2046   | 12/3/2021     | 12:02         | ERH2043               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Red Hill Mauka                              | Bldg. 73140 Community Center hose bib on side of building                        | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2047   | 12/3/2021     | 13:05         | ERH2043               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 33 J                                      | 290 U                | 72 UQ                                      |
| S1/S2 Tank                                  | Overflow/Storage Tank S1                                                         | No visual indication of sheen, no odor, no Multirae available for PID readings | ERH2048   | 12/3/2021     | 12:38         | ERH2043               | Normal     | 0.50 UQ                     | 0.80 U  | 0.80 U       | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U               | 72 U                                      | 290 U                | 72 UQ                                      |
| Field QC                                    | —                                                                                | —                                                                              | ERH2049   | 12/3/2021     | 14:25         | —                     | Trip Blank | 0.50 U                      | 0.80 U  | 0.80 U       | 1.1 J    | 2.0 UQ    | 80 U        | —              | —                   | —                                         | —                    | —                                          |
| Field QC                                    | —                                                                                | —                                                                              | ERH2053   | 12/4/2021     | 14:10         | —                     | Trip Blank | 0.50 U                      | 0.80 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                    | —                                          |
| Field QC                                    | —                                                                                | —                                                                              | ERH2054   | 12/4/2021     | 10:10         | —                     | Trip Blank | 0.50 U                      | 0.80 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                    | —                                          |
| Officer Field (Hickam Community)            | 15th Wing Headquarters (Bldg. 1110) hose bib on left side of building entrance   | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2055   | 12/4/2021     | 15:10         | ERH2053               | Normal     | 0.50 U                      | 0.80 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 54 J                | 30 JQ                                     | 120 J                | 37 J                                       |
| Onizuka (Hickam Community)                  | Bldg. 5500 hose bib on right side of building near entrance                      | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2056   | 12/4/2021     | 15:46         | ERH2053               | Normal     | 0.50 U                      | 0.80 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 160 U               | 29 JQ                                     | 160 U                | 39 U                                       |
| Hale Nakoia (Hickam Community)              | Hose bib on south side of Bldg. 1723                                             | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2057   | 12/4/2021     | 16:10         | ERH2053               | Normal     | 0.50 U                      | 0.80 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 150 U               | 27 JQ                                     | 150 U                | 39 U                                       |
| Waiawa PS Pre-Chlorination                  | swagelok faucet                                                                  | Sampling Point PID: 0.0 ppm, no odor detected                                  | ERH2058   | 12/4/2021     | 17:30         | ERH2053               | Normal     | 0.50 U                      | 0.80 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 320 U               | 25 J                                      | 320 U                | 79 U                                       |

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Eurofins TestAmerica Seattle Laboratory Results - Non-Well Results

| Analyte                                      |                                                                                |                                                                                                    |           |               |               |                       |            | Benzene | Ethylbenzene | Toluene  | Xylenes   | Naphthalene | TPH-g (C6-C12) | TPH-d (C9-C25)<br>b | TPH-d (C9-C25) with Silica<br>Gel Cleanup | TPH-o (C24-<br>C40)<br>b | TPH-o (C24-C40) with<br>Silica Gel Cleanup |
|----------------------------------------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------|---------------|---------------|-----------------------|------------|---------|--------------|----------|-----------|-------------|----------------|---------------------|-------------------------------------------|--------------------------|--------------------------------------------|
| CAS No.                                      |                                                                                |                                                                                                    |           |               |               |                       |            | 71-43-2 | 100-41-4     | 108-88-3 | 1330-20-7 | 91-20-3     | PHCC6C10       | PHCC10C24           | PHCC10C24SGC                              | PHCC24C40                | PHCC24C40SGC                               |
| Method                                       |                                                                                |                                                                                                    |           |               |               |                       |            | 8260B   | 8260B        | 8260B    | 8260B     | 8260B       | 8260B          | 8015B_E             | 8015B_E                                   | 8015B_E                  | 8015B_E                                    |
| DOH Tier 1 EAL (Table D-1b)                  |                                                                                |                                                                                                    |           |               |               |                       |            | 5       | 30           | 40       | 20        | 17          | 300            | 400                 | —                                         | 500                      | —                                          |
| EPA MCL                                      |                                                                                |                                                                                                    |           |               |               |                       |            | 5       | 700          | 1000     | 10000     | —           | —              | —                   | —                                         | —                        | —                                          |
| Unit                                         |                                                                                |                                                                                                    |           |               |               |                       |            | µg/L    | µg/L         | µg/L     | µg/L      | µg/L        | µg/L           | µg/L                | µg/L                                      | µg/L                     | µg/L                                       |
| Location (General Location / Building)       | Specific Location                                                              | Field Observations                                                                                 | Sample ID | Sampling Date | Sampling Time | Associated Trip Blank | Type       | Result  | Result       | Result   | Result    | Result      | Result         | Result              | Result                                    | Result                   | Result                                     |
| Earhart (Hickam Community)                   | Chapel (Bldg. 1750) hose bib on left side of building.                         | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2059   | 12/4/2021     | 16:35         | ERH2053               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 51 J                                      | 310 U                    | 78 U                                       |
| Waiawa PS Post-Chlorination                  | faucet inside chlorination room                                                | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2060   | 12/4/2021     | 17:35         | ERH2053               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 45 J                                      | 310 U                    | 77 U                                       |
| Hale Moku / Hokulani                         | Pass and ID Office, hose bib on left side of main door                         | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2061   | 12/4/2021     | 14:15         | ERH2053               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 36 J                                      | 310 U                    | 76 U                                       |
| Catlin Park                                  | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2062   | 12/4/2021     | 13:18         | ERH2054               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 320 U               | 40 J                                      | 320 U                    | 79 U                                       |
| Doris Miller Park                            | hose bib out back of a mini mart                                               | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2063   | 12/4/2021     | 12:45         | ERH2054               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 320 U               | 58 J                                      | 320 U                    | 79 U                                       |
| Moanalua Terrace                             | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2064   | 12/4/2021     | 13:50         | ERH2054               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 41 J                                      | 310 U                    | 77 U                                       |
| Halsey Terrace                               | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected                                                      | ERH2065   | 12/4/2021     | 11:50         | ERH2054               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 310 U               | 47 J                                      | 310 U                    | 77 U                                       |
| Radford Terrace                              | Community Center hose bib on side of building                                  | chemical odor coming from nitrile glovesUsed to collect sample                                     | ERH2066   | 12/4/2021     | 10:20         | ERH2054               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 300 U               | 38 J                                      | 300 U                    | 76 U                                       |
| Field QC                                     | —                                                                              | —                                                                                                  | ERH2067   | 12/5/2021     | 15:10         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Field QC                                     | —                                                                              | —                                                                                                  | ERH2068   | 12/5/2021     | 10:55         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 UQ      | 80 U           | —                   | —                                         | —                        | —                                          |
| SUBASE Lockwood Hall                         | hose bib at entrance of hotel                                                  | Ambient PID: 0.6 ppm, Sampling Point PID: 0.6 ppm                                                  | ERH2069   | 12/5/2021     | 11:56         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U               | 17 JQ                                     | 160 U                    | 39 U                                       |
| Ford Island CDC                              | hose bib on side of building                                                   | Ambient PID: 1.8 ppm, Sampling Point PID: 1.8 ppm                                                  | ERH2070   | 12/5/2021     | 11:00         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 150 U               | 17 JQ                                     | 150 U                    | 38 U                                       |
| Shipyards Clinic                             | Bldg. 1750 hose bib on side of building                                        | Sampling Point PID: 0.0 ppm                                                                        | ERH2071   | 12/5/2021     | 12:43         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 150 U               | 19 JQ                                     | 150 U                    | 38 U                                       |
| Makalapa Clinic                              | Bldg. 1407 hose bib on side of building                                        | Sampling Point PID: 0.0 ppm                                                                        | ERH2072   | 12/5/2021     | 12:20         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U               | 20 JQ                                     | 160 U                    | 39 U                                       |
| Red Hill Mauka                               | Bldg. 73140 Community Center hose bib on side of building                      | Sampling Point PID: 0.0 ppm                                                                        | ERH2073   | 12/5/2021     | 14:49         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U               | 29 JQ                                     | 160 U                    | 40 U                                       |
| 1 Navy Aiea-Halawa Shaft PS Pre-chlorination | left spigot                                                                    | Sampling Point PID: 0.0 ppm                                                                        | ERH2074   | 12/5/2021     | 15:31         | ERH2067               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 920                 | 700 Q                                     | 150 U                    | 39 U                                       |
| Navy Aiea-Halawa Shaft PS Post-Chlorination  | right spigot                                                                   | Sampling Point PID: 0.0 ppm                                                                        | ERH2075   | 12/5/2021     | 15:31         | ERH2067               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 68 J                | 39 JQ                                     | 150 U                    | 38 U                                       |
| NEX Commissary                               | Bldg. 607 hose bib backside of building                                        | Sampling Point PID: 0.0 ppm                                                                        | ERH2077   | 12/5/2021     | 13:23         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U               | 20 JQ                                     | 160 U                    | 39 U                                       |
| S1/S2 Tank                                   | Overflow/Storage Tank S2                                                       | Sampling Point PID: 0.0 ppm                                                                        | ERH2078   | 12/5/2021     | 13:51         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U               | 29 JQ                                     | 160 U                    | 39 U                                       |
| S1/S2 Tank                                   | Overflow/Storage Tank S1                                                       | Sampling Point PID: 0.0 ppm                                                                        | ERH2079   | 12/5/2021     | 14:02         | ERH2068               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U               | 20 JQ                                     | 160 U                    | 39 U                                       |
| Aliamanu MR                                  | AMR AAFES Aliamanu Express/Gas Station Area                                    | Sampling Point PID: 0.0 ppm                                                                        | ERH2080   | 12/5/2021     | 14:25         | ERH2068               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 140 U               | 16 JQ                                     | 140 U                    | 36 U                                       |
| Field QC                                     | —                                                                              | —                                                                                                  | ERH2081   | 12/6/2021     | 10:03         | —                     | Trip Blank | 0.50 U  | 0.51 J       | 0.80 U   | 3.5       | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Field QC                                     | —                                                                              | —                                                                                                  | ERH2082   | 12/6/2021     | 10:15         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 3.3       | 2.0 U       | 80 U           | —                   | —                                         | —                        | —                                          |
| Halsey Terrace                               | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2083   | 12/6/2021     | 10:36         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U               | 79 U                                      | 310 U                    | 79 U                                       |
| Radford Terrace                              | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2084   | 12/6/2021     | 10:08         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 320 U               | 81 U                                      | 320 U                    | 81 U                                       |
| Catlin Park                                  | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2085   | 12/6/2021     | 11:43         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 330 U               | 83 U                                      | 330 U                    | 53 J                                       |
| Doris Miller Park                            | hose bib out back of a mini mart                                               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2086   | 12/6/2021     | 11:12         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 310 U               | 78 U                                      | 310 U                    | 78 U                                       |
| Moanalua Terrace                             | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2087   | 12/6/2021     | 12:10         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U               | 79 U                                      | 310 U                    | 79 U                                       |
| Hale Moku / Hokulani                         | Pass and ID Office, hose bib on left side of main door                         | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2088   | 12/6/2021     | 12:40         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 320 U               | 81 U                                      | 320 U                    | 81 U                                       |
| Waiawa PS Pre-Chlorination                   | swagelok faucet                                                                | Ambient PID: 1.2 ppm, Sampling Point PID: 1.2 ppm, no odor detected, no visual indication of sheen | ERH2089   | 12/6/2021     | 12:55         | ERH2082               | Normal     | 0.50 U  | 0.88 J       | 0.80 U   | 4.8       | 2.0 U       | 80 U           | 300 U               | 76 U                                      | 300 U                    | 76 U                                       |
| Waiawa PS Post-Chlorination                  | faucet inside chlorination room                                                | Ambient PID: 1.2, Sampling Point PID: 1.2 ppm, no odor detected, no visual indication of sheen     | ERH2090   | 12/6/2021     | 12:45         | ERH2082               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 310 U               | 79 U                                      | 310 U                    | 79 U                                       |
| Earhart (Hickam Community)                   | Chapel (Bldg. 1750) hose bib on left side of building.                         | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2091   | 12/6/2021     | 10:20         | ERH2082               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 310 U               | 79 U                                      | 310 U                    | 79 U                                       |
| Hale Nakoia (Hickam Community)               | Hose bib on south side of Bldg. 1723                                           | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2092   | 12/6/2021     | 11:05         | ERH2082               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 310 U               | 76 U                                      | 310 U                    | 76 U                                       |
| Officer Field (Hickam Community)             | 15th Wing Headquarters (Bldg. 1110) hose bib on left side of building entrance | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2093   | 12/6/2021     | 11:25         | ERH2082               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 320 U               | 79 U                                      | 320 U                    | 79 U                                       |

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Eurofins TestAmerica Seattle Laboratory Results - Non-Well Results

| Analyte                                              |                                                             |                                                                                                    |           |               |               |                       |            | Benzene | Ethylbenzene | Toluene  | Xylenes   | Naphthalene | TPH-g (C6-C12) | TPH-d (C9-C25)<br><sub>b</sub> | TPH-d (C9-C25) with Silica<br>Gel Cleanup | TPH-o (C24-<br>C40)<br><sub>b</sub> | TPH-o (C24-C40) with<br>Silica Gel Cleanup |
|------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------|---------------|---------------|-----------------------|------------|---------|--------------|----------|-----------|-------------|----------------|--------------------------------|-------------------------------------------|-------------------------------------|--------------------------------------------|
| CAS No.                                              |                                                             |                                                                                                    |           |               |               |                       |            | 71-43-2 | 100-41-4     | 108-88-3 | 1330-20-7 | 91-20-3     | PHCC6C10       | PHCC10C24                      | PHCC10C24SGC                              | PHCC24C40                           | PHCC24C40SGC                               |
| Method                                               |                                                             |                                                                                                    |           |               |               |                       |            | 8260B   | 8260B        | 8260B    | 8260B     | 8260B       | 8260B          | 8015B_E                        | 8015B_E                                   | 8015B_E                             | 8015B_E                                    |
| DOH Tier 1 EAL (Table D-1b)                          |                                                             |                                                                                                    |           |               |               |                       |            | 5       | 30           | 40       | 20        | 17          | 300            | 400                            | —                                         | 500                                 | —                                          |
| EPA MCL                                              |                                                             |                                                                                                    |           |               |               |                       |            | 5       | 700          | 1000     | 10000     | —           | —              | —                              | —                                         | —                                   | —                                          |
| Unit                                                 |                                                             |                                                                                                    |           |               |               |                       |            | µg/L    | µg/L         | µg/L     | µg/L      | µg/L        | µg/L           | µg/L                           | µg/L                                      | µg/L                                | µg/L                                       |
| Location (General Location / Building)               | Specific Location                                           | Field Observations                                                                                 | Sample ID | Sampling Date | Sampling Time | Associated Trip Blank | Type       | Result  | Result       | Result   | Result    | Result      | Result         | Result                         | Result                                    | Result                              | Result                                     |
| Onizuka (Hickam Community)                           | Bldg. 5500 hose bib on right side of building near entrance | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2094   | 12/6/2021     | 11:40         | ERH2082               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 330 U                          | 83 U                                      | 330 U                               | 83 U                                       |
| Red Hill Elementary Cafeteria                        | Spigot on south side of building                            | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2104   | 12/6/2021     | 13:43         | ERH2081               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U                          | 78 U                                      | 310 U                               | 78 U                                       |
| Field QC                                             | —                                                           | —                                                                                                  | ERH2129   | 12/5/2021     | 13:00         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 3.8       | 2.0 UQ      | 80 U           | —                              | —                                         | —                                   | —                                          |
| Red Hill Elementary Girls Restroom                   | Restroom Sink                                               | Sampling Point PID: 0.0 ppm, very faint odor detected, no visual indication of sheen               | ERH2131   | 12/6/2021     | 13:40         | ERH2181               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 300 U                          | 75 U                                      | 300 U                               | 75 U                                       |
| Ford Island CDC                                      | hose bib on side of building                                | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2132   | 12/7/2021     | 10:57         | ERH2146               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 72 U                                      | 290 U                               | 72 U                                       |
| SUBASE Lockwood Hall                                 | hose bib at entrance of hotel                               | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2133   | 12/7/2021     | 12:52         | ERH2146               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 72 U                                      | 290 U                               | 72 U                                       |
| Makalapa Clinic                                      | Bldg. 1407 hose bib on side of building                     | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2134   | 12/7/2021     | 12:26         | ERH2146               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 72 U                                      | 290 U                               | 49 J                                       |
| Shipyards Clinic                                     | Bldg. 1750 hose bib on side of building                     | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2135   | 12/7/2021     | 12:00         | ERH2146               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U                          | 78 U                                      | 310 U                               | 78 U                                       |
| NEX Commissary                                       | Bldg. 607 hose bib backside of building                     | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2136   | 12/7/2021     | 13:32         | ERH2146               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 320 U                          | 81 U                                      | 320 U                               | 81 U                                       |
| 1 Navy Aiea-Halawa Shaft PS Pre-chlorination         | left spigot                                                 | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2137   | 12/7/2021     | 10:10         | ERH2147               | Normal     | 0.50 UQ | 0.80 UQ      | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 730                            | 420                                       | 320 U                               | 81 U                                       |
| Navy Aiea-Halawa Shaft PS Post Chlorination          | right spigot                                                | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2138   | 12/7/2021     | 10:15         | ERH2147               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 23 J                                      | 290 U                               | 72 U                                       |
| S1/S2 Tank                                           | Overflow/Storage Tank S2                                    | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2139   | 12/7/2021     | 10:45         | ERH2147               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 280 U                          | 71 U                                      | 280 U                               | 71 U                                       |
| S1/S2 Tank                                           | Overflow/Storage Tank S1                                    | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2140   | 12/7/2021     | 11:00         | ERH2147               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 73 U                                      | 290 U                               | 73 U                                       |
| Red Hill HSG Storage Tank                            | Green tank spigot (swagelok faucet installed by NAVFAC)     | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2141   | 12/7/2021     | 11:30         | ERH2147               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 310 U                          | 78 U                                      | 310 U                               | 78 U                                       |
| Red Hill Mauka                                       | Bldg. 73140 Community Center hose bib on side of building   | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2142   | 12/7/2021     | 11:45         | ERH2147               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 UQ      | 80 U           | 290 U                          | 73 U                                      | 290 U                               | 73 U                                       |
| Aliamanu MR                                          | AMR AAFES Aliamanu Express/Gas Station Area                 | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | ERH2143   | 12/7/2021     | 12:05         | ERH2147               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 72 U                                      | 290 U                               | 72 U                                       |
| Red Hill HSG Storage Tank                            | Green tank spigot (swagelok faucet installed by NAVFAC)     | Sampling Point PID: 0.0 ppm                                                                        | ERH2144   | 12/5/2021     | 15:15         | ERH2067               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 160 U                          | 27 JQ                                     | 160 U                               | 75                                         |
| Field QC                                             | —                                                           | —                                                                                                  | ERH2146   | 12/7/2021     | 13:22         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.76 J    | 2.0 UQ      | 80 U           | —                              | —                                         | —                                   | —                                          |
| Field QC                                             | —                                                           | —                                                                                                  | ERH2147   | 12/7/2021     | 10:05         | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.89 J    | 2.0 UQ      | 80 U           | —                              | —                                         | —                                   | —                                          |
| Navy Aiea-Halawa Shaft PS Pre-Chlorination Pump Room | Pump Room tap                                               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2150   | 12/8/2021     | 11:57         | ERH4001               | Normal     | 0.50 UQ | 0.80 UQ      | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 56 J           | 620                            | 440                                       | 300 U                               | 74 U                                       |
| Navy Aiea-Halawa Shaft PS Post Chlorination          | right spigot                                                | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2151   | 12/8/2021     | 11:31         | ERH4001               | Normal     | 0.50 UQ | 0.80 UQ      | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 54 J           | 290 U                          | 26 J                                      | 290 U                               | 72 U                                       |
| Waiawa PS Pre-Chlorination                           | swagelok faucet                                             | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected                                | ERH2209   | 12/7/2021     | 13:00         | ERH2147               | Normal     | 0.50 U  | 0.80 U       | 0.80 U   | 0.69 J    | 2.0 UQ      | 80 U           | 290 U                          | 73 U                                      | 290 U                               | 61 J                                       |
| Waiawa PS Post-Chlorination                          | faucet inside chlorination room                             | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected                                | ERH2211   | 12/7/2021     | 13:10         | ERH2147               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 71 U                                      | 290 U                               | 71 U                                       |
| Field QC                                             | —                                                           | —                                                                                                  | ERH4000   | 12/8/2021     | 9:50          | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                              | —                                         | —                                   | —                                          |
| Field QC                                             | —                                                           | —                                                                                                  | ERH4001   | 12/8/2021     | 9:50          | —                     | Trip Blank | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | —                              | —                                         | —                                   | —                                          |
| Halsey Terrace                                       | Community Center hose bib on side of building               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4002   | 12/8/2021     | 10:19         | ERH4001               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 300 U                          | 29 J                                      | 300 U                               | 74 U                                       |
| Radford Terrace                                      | Community Center hose bib on side of building               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4003   | 12/8/2021     | 9:53          | ERH4001               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 23 J                                      | 290 U                               | 72 U                                       |
| Catlin Park                                          | Community Center hose bib on side of building               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4004   | 12/8/2021     | 13:38         | ERH4001               | Normal     | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 300 U                          | 26 J                                      | 300 U                               | 74 U                                       |

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Eurofins TestAmerica Seattle Laboratory Results - Non-Well Results

| Analyte                                      |                                                                                |                                                                                                    |           |               |               |                       |        | Benzene | Ethylbenzene | Toluene  | Xylenes   | Naphthalene | TPH-g (C6-C12) | TPH-d (C9-C25)<br><sub>b</sub> | TPH-d (C9-C25) with Silica<br>Gel Cleanup | TPH-o (C24-C40)<br><sub>b</sub> | TPH-o (C24-C40) with<br>Silica Gel Cleanup |
|----------------------------------------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------|---------------|---------------|-----------------------|--------|---------|--------------|----------|-----------|-------------|----------------|--------------------------------|-------------------------------------------|---------------------------------|--------------------------------------------|
| CAS No.                                      |                                                                                |                                                                                                    |           |               |               |                       |        | 71-43-2 | 100-41-4     | 108-88-3 | 1330-20-7 | 91-20-3     | PHCC6C10       | PHCC10C24                      | PHCC10C24SGC                              | PHCC24C40                       | PHCC24C40SGC                               |
| Method                                       |                                                                                |                                                                                                    |           |               |               |                       |        | 8260B   | 8260B        | 8260B    | 8260B     | 8260B       | 8260B          | 8015B_E                        | 8015B_E                                   | 8015B_E                         | 8015B_E                                    |
| DOH Tier 1 EAL (Table D-1b)                  |                                                                                |                                                                                                    |           |               |               |                       |        | 5       | 30           | 40       | 20        | 17          | 300            | 400                            | —                                         | 500                             | —                                          |
| EPA MCL                                      |                                                                                |                                                                                                    |           |               |               |                       |        | 5       | 700          | 1000     | 10000     | —           | —              | —                              | —                                         | —                               | —                                          |
| Unit                                         |                                                                                |                                                                                                    |           |               |               |                       |        | µg/L    | µg/L         | µg/L     | µg/L      | µg/L        | µg/L           | µg/L                           | µg/L                                      | µg/L                            | µg/L                                       |
| Location (General Location / Building)       | Specific Location                                                              | Field Observations                                                                                 | Sample ID | Sampling Date | Sampling Time | Associated Trip Blank | Type   | Result  | Result       | Result   | Result    | Result      | Result         | Result                         | Result                                    | Result                          | Result                                     |
| Doris Miller Park                            | hose bib out back of a mini mart                                               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4005   | 12/8/2021     | 10:43         | ERH4001               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 280 U                          | 34 J                                      | 280 U                           | 71 U                                       |
| Moanalua Terrace                             | Community Center hose bib on side of building                                  | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4006   | 12/8/2021     | 13:13         | ERH4001               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 28 J                                      | 290 U                           | 74 U                                       |
| Hale Moku / Hokulani                         | Pass and ID Office, hose bib on left side of main door                         | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4007   | 12/8/2021     | 12:42         | ERH4001               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 27 J                                      | 290 U                           | 73 U                                       |
| Waiawa PS Pre-Chlorination                   | swagelok faucet                                                                | Ambient PID: 1.2 ppm, Sampling Point PID: 1.2 ppm, no odor detected, no visual indication of sheen | ERH4008   | 12/8/2021     | 12:40         | ERH4000               | Normal | 0.50 U  | 0.80 U       | 0.80 U   | 0.80 U    | 2.0 U       | 80 U           | 290 U                          | 73 U                                      | 290 U                           | 73 U                                       |
| Waiawa PS Post-Chlorination                  | faucet inside chlorination room                                                | Ambient PID: 1.2, Sampling Point PID: 1.2 ppm, no odor detected, no visual indication of sheen     | ERH4009   | 12/8/2021     | 12:45         | ERH4000               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 25 J                                      | 290 U                           | 72 U                                       |
| Earhart (Hickam Community)                   | Chapel (Bldg. 1750) hose bib on left side of building.                         | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4010   | 12/8/2021     | 11:55         | ERH4000               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 33 J                                      | 290 U                           | 72 U                                       |
| Hale Nakoā (Hickam Community)                | Hose bib on south side of Bldg. 1723                                           | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4011   | 12/8/2021     | 11:50         | ERH4000               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 300 U                          | 49 J                                      | 300 U                           | 74 U                                       |
| Officer Field (Hickam Community)             | 15th Wing Headquarters (Bldg. 1110) hose bib on left side of building entrance | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4012   | 12/8/2021     | 11:05         | ERH4000               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 300 U                          | 30 J                                      | 300 U                           | 74 U                                       |
| Onizuka (Hickam Community)                   | Bldg. 5500 hose bib on right side of building near entrance                    | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4013   | 12/8/2021     | 10:45         | ERH4000               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 28 J                                      | 290 U                           | 72 U                                       |
| Red Hill Elementary Cafeteria                | Spigot on south side of building                                               | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4014   | 12/8/2021     | 10:20         | ERH4000               | Normal | 0.50 U  | 0.80 UQ      | 0.80 U   | 0.80 UQ   | 2.0 U       | 80 U           | 290 U                          | 30 J                                      | 290 U                           | 74 U                                       |
| Red Hill Elementary Girls Restroom           | Restroom Sink                                                                  | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH4015   | 12/8/2021     | 9:55          | ERH4000               | Normal | 0.50 UQ | 0.80 UQ      | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 290 U                          | 29 J                                      | 290 U                           | 74 U                                       |
| 1 Navy Aiea-Halawa Shaft PS Pre-chlorination | left spigot                                                                    | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen                       | ERH2149   | 12/8/2021     | 11:30         | ERH4001               | Normal | 0.50 UQ | 0.80 UQ      | 0.80 UQ  | 0.80 UQ   | 2.0 UQ      | 80 U           | 550                            | 380                                       | 290 U                           | 72 U                                       |

### Weck Laboratory Results - Drinking Water - Non-Well Results

[illegible]

|       |                            |            |        |      |      |       |       |       |       |       |       |       |       |   |   |   |   |       |       |       |       |       |       |       |       |       |       |     |   |   |   |       |       |       |       |       |       |       |       |       |       |       |       |     |   |   |  |
|-------|----------------------------|------------|--------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|---|---|---|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|---|---|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|---|---|--|
| 525.2 | Bis(2-ethylhexyl)phthalate | 117-81-7   | 3.0    | 6.0  | 6.0  | 0.061 | J     | 3.0   | U     | 3.0   | U     | 3.0   | U     | P |   | P |   | 3.0   | U     | 3.0   | U     | 0.1   | J     | 0.051 | J     | 0.062 | J     | 3.0 | U | P |   | P     |       | 0.2   | J     | 3.0   | U     | 3.0   | U     | 3.0   | U     | 3.0   | U     | 3.0 | U | P |  |
| 525.2 | Chrysene                   | 218-01-9   | 1.0    | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | cis-Nonachlor              | 5103-73-1  | -      | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | Dibenzo (a,h) anthracene   | 53-70-3    | 0.022  | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | Endrin                     | 72-20-8    | 0.0023 | 2.0  | 2.0  | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | P |   | P |   | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | P   |   | P |   | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | P   |   |   |  |
| 525.2 | Fluorethylene              | 228-44-0   | 0.80   | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | Fluorene                   | 73-9-8     | 3.9    | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | gamma-BHC (Lindane)        | 58-89-9    | 0.063  | 0.20 | 0.20 | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   |   |  |
| 525.2 | gamma-Chlordane            | 5103-74-2  | -      | -    | -    | -     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U | P |   | P |       | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U   | P |   | P |       | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U   | P |   |  |
| 525.2 | Heptachlor                 | 76-44-8    | 0.0036 | 0.40 | 0.40 | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   |   |  |
| 525.2 | Heptachlor epoxide         | 1024-57-3  | 0.0036 | 0.20 | 0.20 | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   |   |  |
| 525.2 | Hexachlorocyclopentadiene  | 77-47-4    | -      | -    | 50   | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | P |   | P |   | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | P   |   | P |   | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | P   |   |   |  |
| 525.2 | Indeno (1,2,3-cd) pyrene   | 193-39-5   | 0.095  | -    | -    | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | P |   | P |   | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | P   |   | P |   | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | P   |   |   |  |
| 525.2 | Methoxychlor               | 72-43-5    | 0.030  | 40   | 40   | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | P |   | P |   | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | P   |   | P |   | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | 0.20  | U     | P   |   |   |  |
| 525.2 | Naphthalene                | 91-20-3    | 12     | -    | -    | -     | 0.050 | J     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | Pentachlorophenol          | 87-86-5    | 1.0    | 1.0  | 1.0  | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | P |   | P |   | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | P   |   | P |   | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | 1.0   | U     | P   |   |   |  |
| 525.2 | Phenanthrene               | 85-01-8    | 2.3    | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | Pyrene                     | 129-00-0   | 4.6    | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |
| 525.2 | Simazine                   | 122-34-9   | 4.0    | 4.0  | 4.0  | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   | P |   | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | 0.10  | U     | P   |   |   |  |
| 525.2 | trans-Nonachlor            | 39785-80-5 | -      | -    | -    | -     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   | P |       | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U     | 0.050 | U   | P |   |  |

Joint Base Pearl Harbor Hickam Drinking Water Issue

Week Laboratory Results - Drinking Water - Non-Well Results

| Location (General Location / Building) |                             |           |                            |         | DOH Split-5682 Dovekie Avenue                                                | DOH Split-5012A Iroquois Ave                                                 | DOH Split-5012A Iroquois Ave                                                 | DOH Split-5861 Fulmar Avenue                                                 | DOH Split-5861 Fulmar Avenue                                                 | DOH Split-5869 Fulmar Avenue                                                 | DOH Split-4976 Kela Place Apt B                                              | DOH Split-7273 Elm Place                                                     | DOH Split-7273 Elm Place                                                     | DOH Split-7273 Elm Place                                                     | DOH Split-3763 Elm Drive                                                     | DOH Split-5321 Cedar Drive                                                   | DOH Split-7257 Birch Circle                                                  | DOH Split-7236 Birch Circle                                                  | Halsey Terrace                                                               | Radford Terrace |   |       |   |       |   |
|----------------------------------------|-----------------------------|-----------|----------------------------|---------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------------|---|-------|---|-------|---|
| Specific Location                      |                             |           |                            |         | Vacant, outdoor tap                                                          | Occupied, outdoor tap                                                        | Occupied, outdoor tap                                                        | Vacant, outdoor tap                                                          | Vacant, outdoor tap                                                          | Vacant, outdoor tap                                                          | Occupied, outdoor tap                                                        | 2nd floor laundry room sink                                                  | 2nd floor laundry room sink                                                  | kitchen sink                                                                 | tap on east side of building                                                 | kitchen sink                                                                 | kitchen sink                                                                 | spigot on side of building                                                   | spigot on side of building                                                   |                 |   |       |   |       |   |
| Field Observations                     |                             |           |                            |         | Sampling Point PID: 0.1 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.7 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.7 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.7 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.7 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.6 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.5 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 2.5 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.5 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen |                 |   |       |   |       |   |
| Sample ID                              |                             |           |                            |         | ERH4053                                                                      | ERH4054                                                                      | ERH4055                                                                      | ERH4056                                                                      | ERH4057                                                                      | ERH4058                                                                      | ERH4059                                                                      | ERH4060                                                                      | ERH4061                                                                      | ERH4062                                                                      | ERH4063                                                                      | ERH4064                                                                      | ERH4065                                                                      | ERH4066                                                                      | ERH4067                                                                      |                 |   |       |   |       |   |
| Sampling Date                          |                             |           |                            |         | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   |                 |   |       |   |       |   |
| Sampling Time                          |                             |           |                            |         | 9:33                                                                         | 9:51                                                                         | 10:00                                                                        | 10:19                                                                        | 10:05                                                                        | 10:45                                                                        | 11:05                                                                        | 9:16                                                                         | 9:16                                                                         | 9:47                                                                         | 10:12                                                                        | 10:54                                                                        | 11:15                                                                        | 9:05                                                                         | 9:55                                                                         |                 |   |       |   |       |   |
| Associated Trip Blank                  |                             |           |                            |         | ERH4082                                                                      | ERH4082                                                                      | ERH4082                                                                      | ERH4082                                                                      | ERH4082                                                                      | ERH4082                                                                      | ERH4082                                                                      | ERH4083                                                                      | ERH4083                                                                      | ERH4083                                                                      | ERH4083                                                                      | ERH4083                                                                      | ERH4083                                                                      | ERH4084                                                                      | ERH4084                                                                      |                 |   |       |   |       |   |
| Type                                   |                             |           |                            |         | Normal                                                                       | Normal                                                                       | Field Duplicate                                                              | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Field Duplicate                                                              | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       |                 |   |       |   |       |   |
| Test Method                            | Analyte                     |           | DOH Tier 1 EAL (Table D1a) | DOH MCL | EPA MCL                                                                      | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result          |   |       |   |       |   |
| 245.1                                  | Mercury                     | 7487-94-7 | 0.025                      | 2.0     | 2.0                                                                          | 0.05                                                                         | U                                                                            | 0.05                                                                         | U                                                                            | 0.05                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.05            | U | 0.05  | U |       |   |
| 8200                                   | Gas                         | 300       | -                          | -       | -                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100             | U | 100   | U |       |   |
| 8015                                   | TPH-d                       | Diesel    | 400                        | -       | -                                                                            | P                                                                            |                                                                              | P                                                                            |                                                                              | P                                                                            |                                                                              | P                                                                            |                                                                              | P                                                                            |                                                                              | P                                                                            |                                                                              | P                                                                            |                                                                              | P               |   | P     |   |       |   |
| 524.2                                  | 1,1,1,2-Tetrachloroethane   | 630-20-6  | 0.61                       | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - |       |   |
| 524.2                                  | 1,1,1-Trichloroethane       | 71-55-6   | 11                         | 200     | 200                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | 1,1,2,2-Tetrachloroethane   | 79-34-5   | 0.078                      | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 1,1,2-Trichloroethane       | 79-00-5   | 5.0                        | 5.0     | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.5             | U | 0.5   | U | 0.5   | U |
| 524.2                                  | 1,1-Dichloroethane          | 75-34-3   | 2.8                        | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 1,1-Dichloroethene          | 75-34-3   | 2.8                        | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | 1,1-Dichloropropene         | 563-58-6  | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 1,2,3-Trichlorobenzene      | 87-61-6   | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2M                                 | 1,2,3-Trichloropropane      | 96-18-4   | 0.60                       | 0.60    | -                                                                            | 0.019                                                                        | U                                                                            | 0.017                                                                        | U                                                                            | 0.017                                                                        | U                                                                            | 0.018                                                                        | U                                                                            | 0.019                                                                        | U                                                                            | 0.027                                                                        | U                                                                            | 0.027                                                                        | U                                                                            | 0.026           | U | 0.027 | U | 0.025 | U |
| 524.2                                  | 1,2,4-Trichlorobenzene      | 120-82-1  | 70                         | 70      | 70                                                                           | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.50  | U | 0.50  | U |
| 524.2                                  | 1,2,4-Trimethylbenzene      | 95-63-6   | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.3                                  | 1,2-Dibromo-3-chloropropane | 96-12-8   | 0.040                      | 0.040   | 0.20                                                                         | 0.010                                                                        | U                                                                            | 0.010                                                                        | U                                                                            | 0.010                                                                        | U                                                                            | 0.010                                                                        | U                                                                            | 0.010                                                                        | U                                                                            | 0.010                                                                        | U                                                                            | 0.010                                                                        | U                                                                            | 0.010           | U | P     |   | P     |   |
| 524.3                                  | 1,2-Dibromoethane (EDB)     | 106-93-4  | 0.040                      | 0.040   | 0.050                                                                        | 0.020                                                                        | U                                                                            | 0.020                                                                        | U                                                                            | 0.020                                                                        | U                                                                            | 0.020                                                                        | U                                                                            | 0.020                                                                        | U                                                                            | 0.020                                                                        | U                                                                            | 0.020                                                                        | U                                                                            | 0.020           | U | P     |   | P     |   |
| 524.2                                  | 1,2-Dichloroethane          | 107-06-2  | 5.0                        | -       | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | 1,2-Dichloropropane         | 78-87-5   | 5.0                        | 5.0     | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | 1,3,5-Trimethylbenzene      | 108-67-8  | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 1,3-Dichloropropane         | 142-28-9  | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 1,3-Dichloropropene, Total  | 542-75-6  | 0.060                      | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 2,2-Dichloropropane         | 594-20-7  | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 2-Butanone                  | 78-93-3   | 5587                       | -       | -                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0             | U | -     | - | -     | - |
| 524.2                                  | 2-Chlorotoluene             | 95-49-8   | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 2-Hexanone                  | 591-78-6  | -                          | -       | -                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0             | U | -     | - | -     | - |
| 524.2                                  | 4-Chlorotoluene             | 106-43-4  | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | 4-Methyl-2-pentanone        | 108-10-1  | 170                        | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0                                                                          | U                                                                            | 5.0             | U | -     | - | -     | - |
| 524.2                                  | Benzene                     | 71-43-2   | 5.0                        | 5.0     | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | Bromobenzene                | 108-86-1  | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | Bromochloromethane          | 74-97-5   | -                          | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | Bromodichloromethane        | 75-27-4   | 0.14                       | -       | 80                                                                           | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | Bromoform                   | 75-25-2   | 80                         | 80      | 80                                                                           | 0.70                                                                         | U                                                                            | 0.38                                                                         | J                                                                            | 0.40                                                                         | J                                                                            | 0.59                                                                         | U                                                                            | 0.56                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 1.3                                                                          | U                                                                            | 1.6             | U | 1.3   | U | 2.3   | U |
| 524.2                                  | Bromomethane                | 74-83-9   | 7.8                        | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |
| 524.2                                  | Carbon tetrachloride        | 56-23-5   | 5.0                        | 5.0     | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | Chlorobenzene               | 108-90-7  | 25                         | 100     | 100                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | 0.5   | U | 0.5   | U |
| 524.2                                  | Chloroethane                | 75-00-3   | 16                         | -       | -                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50            | U | -     | - | -     | - |



### Weck Laboratory Results - Drinking Water - Non-Well Results

| Location (General Location / Building) |                                    |                            |         |         | Catlin Park                                                                  | Doris Miller Park                                                            | Moanslua Terrace                                                             | Hale Moku / Hukulanani                                                       | Waiawa PS Pre-Chlorination                                                   | Waiawa PS Pre-Chlorination                                                   | Waiawa PS Post-Chlorination                                                                          | Earhart (Hickam Community)                                                   | Hale Nakoia (Hickam Community)                                               | Officer Field (Hickam Community)                                             | Officer Field (Hickam Community)                                             | Onizuka (Hickam Community)                                                   | Red Hill Elementary Cafeteria                                                | Red Hill Elementary Girl's Restroom                                          |   |
|----------------------------------------|------------------------------------|----------------------------|---------|---------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|---|
| Specific Location                      |                                    |                            |         |         | spigot on side of building                                                   | spigot on side of building                                                   | spigot on side of building                                                   | spigot on side of building                                                   | left swagelok tap                                                            | left swagelok tap                                                            | faucet inside chlorination room                                                                      | beige tap right hand side                                                    | Hose bib on south side of Bldg. 1723                                         | left of entrance, behind bushes                                              | left of entrance, behind bushes                                              | right side of building                                                       | right sink, cold tap                                                         | sink tap                                                                     |   |
| Field Observations                     |                                    |                            |         |         | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, chlorine odor detected, no visual indication of sheen, tap running slow | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen |   |
| Sample ID                              |                                    |                            |         |         | ERH4068                                                                      | ERH4069                                                                      | ERH4070                                                                      | ERH4071                                                                      | ERH4072                                                                      | ERH4073                                                                      | ERH4074                                                                                              | ERH4075                                                                      | ERH4076                                                                      | ERH4077                                                                      | ERH4078                                                                      | ERH4079                                                                      | ERH4080                                                                      | ERH4081                                                                      |   |
| Sampling Date                          |                                    |                            |         |         | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                                           | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   | 12/10/2021                                                                   |   |
| Sampling Time                          |                                    |                            |         |         | 10:36                                                                        | 11:45                                                                        | 13:20                                                                        | 12:25                                                                        | 14:40                                                                        | 14:40                                                                        | 15:00                                                                                                | 9:10                                                                         | 9:55                                                                         | 11:10                                                                        | 11:15                                                                        | 10:40                                                                        | 13:13                                                                        | 13:15                                                                        |   |
| Associated Trip Blank                  |                                    |                            |         |         | ERH4084                                                                      | ERH4084                                                                      | ERH4084                                                                      | ERH4084                                                                      | ERH4085                                                                      | ERH4085                                                                      | ERH4085                                                                                              | ERH4085                                                                      | ERH4085                                                                      | ERH4085                                                                      | ERH4085                                                                      | ERH4085                                                                      | ERH4085                                                                      | ERH4085                                                                      |   |
| Type                                   |                                    |                            |         |         | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                       | Normal                                                                                               | Normal                                                                       | Normal                                                                       | Normal                                                                       | Field Duplicate                                                              | Normal                                                                       | Normal                                                                       | Normal                                                                       |   |
| Test Method                            | Analyte                            | DOH Tier 1 EAL (Table D1a) | DOH MCL | EPA MCL | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                                               | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       | Result                                                                       |   |
| 245.1                                  | Mercury                            | 7487-94-7                  | 0.025   | 2.0     | 0.05                                                                         | U                                                                            | 0.05                                                                         | U                                                                            | 0.05                                                                         | U                                                                            | 0.05                                                                                                 | U                                                                            | 0.05                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            |   |
| 8280                                   | LPG-Gas                            | 300                        | -       | -       | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | P                                                                                                    | P                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            | 100                                                                          | U                                                                            |   |
| 8015                                   | TPII-d Diesel                      | 400                        | -       | -       | P                                                                            | U                                                                            | P                                                                            | U                                                                            | P                                                                            | U                                                                            | P                                                                                                    | U                                                                            | P                                                                            | U                                                                            | P                                                                            | U                                                                            | P                                                                            | U                                                                            |   |
| 524.2                                  | 1,1,1,2-Tetrachloroethane          | 630-20-6                   | 0.61    | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 1,1,1-Trichloroethane              | 71-55-6                    | 11      | 200     | 200                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | 1,1,2,2-Tetrachloroethane          | 79-34-5                    | 0.078   | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 1,1,2-Trichloroethane              | 79-00-5                    | 5.0     | 5.0     | 5.0                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | 1,1-Dichloroethane                 | 75-34-3                    | 2.8     | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 1,1-Dichloroethene                 | 75-34-3                    | 2.8     | -       | -                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | 1,1-Dichloropropene                | 563-58-6                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 1,2,3-Trichlorobenzene             | 87-61-6                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2M                                 | 1,2,3-Trichloropropane             | 96-18-4                    | 0.60    | 0.60    | -                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | 0.017                                                                        | 0.0094                                                                       |   |
| 524.2                                  | 1,2,4-Trichlorobenzene             | 120-82-1                   | 70      | 70      | 70                                                                           | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | 1,2,4-Trimethylbenzene             | 95-63-6                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.3                                  | 1,2-Dibromo-3-chloropropane        | 96-12-8                    | 0.040   | 0.040   | 0.20                                                                         | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | 0.010                                                                        | 0.010                                                                        |   |
| 524.3                                  | 1,2-Dibromomethane (EDB)           | 106-93-4                   | 0.040   | 0.040   | 0.050                                                                        | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | 0.020                                                                        | 0.020                                                                        |   |
| 524.2                                  | 1,2-Dichloroethane                 | 107-06-2                   | 5.0     | -       | 5.0                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | 1,2-Dichloropropane                | 78-87-5                    | 5.0     | 5.0     | 5.0                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | 1,3,5-Trimethylbenzene             | 108-67-8                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 1,3-Dichloropropane                | 142-28-9                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 1,3-Dichloropropene, Total         | 542-75-6                   | 0.060   | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 2,2-Dichloropropane                | 594-20-7                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 2-Butanone                         | 78-93-3                    | 5587    | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 5.0                                                                          | 5.0                                                                          |   |
| 524.2                                  | 2-Chlorobutene                     | 95-49-8                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 2-Hexanone                         | 591-78-6                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 5.0                                                                          | 5.0                                                                          |   |
| 524.2                                  | 4-Chlorotoluene                    | 106-43-4                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | 4-Methyl-2-pentanone               | 108-10-1                   | 170     | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 5.0                                                                          | 5.0                                                                          |   |
| 524.2                                  | Benzene                            | 71-43-2                    | 5.0     | 5.0     | 5.0                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Bromobenzene                       | 108-86-1                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Bromochloromethane                 | 74-97-5                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Bromodichloromethane               | 75-27-4                    | 0.14    | -       | 80                                                                           | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Bromomethane                       | 75-25-2                    | 80      | 80      | 80                                                                           | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 1.4                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Bromomethane                       | 74-83-9                    | 7.6     | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Carbon tetrachloride               | 56-23-5                    | 5.0     | 5.0     | 5.0                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Chlorobenzene                      | 108-96-7                   | 25      | 100     | 100                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Chloroethane                       | 75-00-3                    | 16      | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Chloroform                         | 67-66-3                    | 28      | -       | 80                                                                           | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Chloromethane                      | 74-87-3                    | 188     | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | cis-1,2-Dichloroethene             | 156-59-2                   | 70      | 70      | 70                                                                           | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | cis-1,3-Dichloropropane            | 10061-01-5                 | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Dibromochloromethane               | 124-48-1                   | 0.93    | -       | 80                                                                           | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Dibromomethane                     | 74-95-3                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Dichlorodifluoromethane (Freon 12) | 75-71-8                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Diisopropyl ether                  | 108-20-3                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 2.0                                                                          | 2.0                                                                          |   |
| 524.2                                  | Ethyl tert-butyl ether             | 637-92-3                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 2.0                                                                          | 2.0                                                                          |   |
| 524.2                                  | Ethylbenzene                       | 100-41-4                   | 7.3     | 700     | 700                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Freon 113                          | 76-13-1                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 5.0                                                                          | 5.0                                                                          |   |
| 524.2                                  | Hexachlorobutadiene                | 87-68-3                    | 0.20    | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Isopropylbenzene                   | 98-82-8                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | m-p-Xylene                         | 179601-23-1                | -       | -       | -                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | n-Dichlorobenzene                  | 541-73-1                   | 5.0     | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Methyl tert-butyl ether (MTBE)     | 1634-04-4                  | 5.0     | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 2.0                                                                          | 2.0                                                                          |   |
| 524.2                                  | Methylene chloride                 | 75-09-2                    | 5.0     | -       | 5.0                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Naphthalene                        | 91-20-3                    | 12      | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | n-Butylbenzene                     | 104-51-8                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | n-Propylbenzene                    | 103-65-1                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | o-Dichlorobenzene                  | 95-55-1                    | 10      | 600     | 600                                                                          | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | o-Xylene                           | 95-47-6                    | -       | -       | -                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | p-Dichlorobenzene                  | 106-46-7                   | 5.0     | 75      | 75                                                                           | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                                                    | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.5                                                                          | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | p-Isopropyltoluene                 | 99-87-6                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | sec-Butylbenzene                   | 135-98-8                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Styrene                            | 100-42-5                   | 10      | 100     | 100                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Tert-amyl methyl ether             | 994-05-8                   | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 2.0                                                                          | 2.0                                                                          |   |
| 524.2                                  | Tert-Butylbenzene                  | 98-06-6                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Tetrachloroethene                  | 127-18-4                   | 5.0     | 5.0     | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | THMs, Total                        | -                          | -       | 80      | 80                                                                           | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 1.4                                                                          | 0.50                                                                                                 | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Toluene                            | 108-88-3                   | 9.8     | 1000    | 1000                                                                         | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | trans-1,2-Dichloroethene           | 156-60-5                   | 100     | 100     | 100                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | trans-1,3-Dichloropropene          | 10061-02-6                 | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Trichloroethene                    | 79-01-6                    | 5.0     | 5.0     | 5.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Trichlorofluoromethane             | 75-69-4                    | -       | -       | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                                                    | -                                                                            | -                                                                            | -                                                                            | -                                                                            | -                                                                            | 0.50                                                                         | U                                                                            |   |
| 524.2                                  | Vinyl chloride                     | 75-01-4                    | 2.0     | 2.0     | 2.0                                                                          | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                                                    | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U |
| 524.2                                  | Xylenes, Total                     | 1330-20-7                  | 13      | 10000   | 10000                                                                        | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 1.4                                                                          | 0.50                                                                                                 | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            | 0.50                                                                         | U                                                                            |   |
| 200.8                                  | Antimony                           | 7440-36-0                  | 6.0     | 6.0     | 6.0                                                                          | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            |   |
| 200.8                                  | Arsenic                            | 7440-38-2                  | 10      | 10      | 10                                                                           | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            |   |
| 200.8                                  | Barium                             | 7440-39-3                  | 220     | 2000    | 2000                                                                         | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            |   |
| 200.8                                  | Beryllium                          | 7440-41-7                  | 0.66    | 4.0     | 4.0                                                                          | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                                                    | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            | P                                                                            |   |
| 200.8                                  | Cadmium                            | 7440-43-9                  | 3.0     | 5.0     |                                                                              |                                                                              |                                                                              |                                                                              |                                                                              |                                                                              |                                                                                                      |                                                                              |                                                                              |                                                                              |                                                                              |                                                                              |                                                                              |                                                                              |   |

[illegible]



[illegible]

Joint Base Pearl Harbor Hickam Drinking Water Issue

Week Laboratory Results - Drinking Water - Non-Well Results

| Location (General Location / Building) |                                    |                            |         |         | Camp Smith Storage Tank S-325                                                                                           | Camp Smith Storage Tank S-326                                                                                           | Camp Smith Storage Tank 684                                                                                             | Camp Smith Storage Tank 684                                                                                                                          | Camp Smith Storage Tank S-325                                                                                                                                          | Camp Smith Storage Tank S-326                                                                      | Iroquois Point Housing 1 - 6737B 108th St.                                                         | Iroquois Point Housing 2 - 5552 Bittern Ave     | Manana Housing 1 - 7331 Birch Ave.                                                                 | Manana Housing 2 - 5335 Cedar Dr.                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
|----------------------------------------|------------------------------------|----------------------------|---------|---------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|---|
| Specific Location                      |                                    |                            |         |         | top of tank                                                                                                             | top of tank                                                                                                             | top of tank                                                                                                             | hose bib at bottom of tank                                                                                                                           | hose bib at bottom of tank                                                                                                                                             | hose bib at bottom of tank                                                                         | outside spigot                                                                                     | bathhub faucet                                  | outside spigot                                                                                     | outside spigot                                                                                                                                                                              |      |      |      |      |      |      |      |      |      |      |   |
| Field Observations                     |                                    |                            |         |         | Ambient PID: 0.0 ppm, Bailer PID: 0.0 ppm, no odor detected, no visual indication of sheen, alternated bailers with DOH | Ambient PID: 0.0 ppm, Bailer PID: 0.0 ppm, no odor detected, no visual indication of sheen, alternated bailers with DOH | Ambient PID: 0.0 ppm, Bailer PID: 0.0 ppm, no odor detected, no visual indication of sheen, alternated bailers with DOH | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen, only one amber vial with ascorbic acid collected | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen, only one amber vial with ascorbic acid collected due to broken cap | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | no odor detected, no visual indication of sheen | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen, one hydrochloric acid-preserved vial shattered in field, so only one vial was collected |      |      |      |      |      |      |      |      |      |      |   |
| Sample ID                              |                                    |                            |         |         | ERH4168                                                                                                                 | ERH4169                                                                                                                 | ERH4170                                                                                                                 | ERH4171                                                                                                                                              | ERH4172                                                                                                                                                                | ERH4173                                                                                            | ERH4174                                                                                            | ERH4175                                         | ERH4176                                                                                            | ERH4177                                                                                                                                                                                     |      |      |      |      |      |      |      |      |      |      |   |
| Sampling Date                          |                                    |                            |         |         | 12/13/2021                                                                                                              | 12/13/2021                                                                                                              | 12/13/2021                                                                                                              | 12/13/2021                                                                                                                                           | 12/13/2021                                                                                                                                                             | 12/13/2021                                                                                         | 12/13/2021                                                                                         | 12/13/2021                                      | 12/13/2021                                                                                         | 12/13/2021                                                                                                                                                                                  |      |      |      |      |      |      |      |      |      |      |   |
| Sampling Time                          |                                    |                            |         |         | 10:20                                                                                                                   | 11:15                                                                                                                   | 12:40                                                                                                                   | 13:45                                                                                                                                                | 14:15                                                                                                                                                                  | 14:35                                                                                              | 11:30                                                                                              | 12:20                                           | 13:15                                                                                              | 13:42                                                                                                                                                                                       |      |      |      |      |      |      |      |      |      |      |   |
| Associated Trip Blank                  |                                    |                            |         |         | ERH4182                                                                                                                 | ERH4182                                                                                                                 | ERH4182                                                                                                                 | ERH4182                                                                                                                                              | ERH4182                                                                                                                                                                | ERH4182                                                                                            | ERH4186/ERH4187/ERH4188/ERH4189                                                                    | ERH4186/ERH4187/ERH4188/ERH4189                 | ERH4190/ERH4191/ERH4192/ERH4193                                                                    | ERH4190/ERH4191/ERH4192/ERH4193                                                                                                                                                             |      |      |      |      |      |      |      |      |      |      |   |
| Type                                   |                                    |                            |         |         | Normal                                                                                                                  | Normal                                                                                                                  | Normal                                                                                                                  | Normal                                                                                                                                               | Normal                                                                                                                                                                 | Normal                                                                                             | Normal                                                                                             | Normal                                          | Normal                                                                                             | Normal                                                                                                                                                                                      |      |      |      |      |      |      |      |      |      |      |   |
| Test Method                            | Analyte                            | DOH Tier 1 EAL (Table D1a) | DOH MCL | EPA MCL | Result                                                                                                                  | Result                                                                                                                  | Result                                                                                                                  | Result                                                                                                                                               | Result                                                                                                                                                                 | Result                                                                                             | Result                                                                                             | Result                                          | Result                                                                                             | Result                                                                                                                                                                                      |      |      |      |      |      |      |      |      |      |      |   |
| 245.1                                  | Mercury                            | 7487-94-7                  | 0.025   | 2.0     | P                                                                                                                       | P                                                                                                                       | P                                                                                                                       | P                                                                                                                                                    | P                                                                                                                                                                      | P                                                                                                  | 87                                                                                                 | J                                               | P                                                                                                  | P                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 8260                                   | TPH-g                              | Gas                        | 300     | -       | 100                                                                                                                     | U                                                                                                                       | 100                                                                                                                     | U                                                                                                                                                    | 100                                                                                                                                                                    | U                                                                                                  | 100                                                                                                | U                                               | 100                                                                                                | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 8015                                   | TPH-d                              | Diesel                     | 400     | -       | P                                                                                                                       | P                                                                                                                       | P                                                                                                                       | P                                                                                                                                                    | P                                                                                                                                                                      | P                                                                                                  | P                                                                                                  | P                                               | P                                                                                                  | P                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1,1,2-Tetrachloroethane          | 630-20-6                   | 0.61    | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1,1-Trichloroethane              | 71-55-6                    | 11      | 200     | 200                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1,2,2-Tetrachloroethane          | 79-34-5                    | 0.078   | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1,2-Trichloroethane              | 79-00-5                    | 5.0     | 5.0     | 5.0                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1-Dichloroethane                 | 75-34-3                    | 2.8     | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1-Dichloroethene                 | 75-34-3                    | 2.8     | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,1-Dichloropropene                | 563-58-6                   | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,2,3-Trichlorobenzene             | 87-61-6                    | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2M                                 | 1,2,3-Trichloropropane             | 96-18-4                    | 0.60    | -       | P                                                                                                                       | P                                                                                                                       | P                                                                                                                       | P                                                                                                                                                    | P                                                                                                                                                                      | P                                                                                                  | P                                                                                                  | P                                               | P                                                                                                  | P                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,2,4-Trichlorobenzene             | 120-82-1                   | 70      | 70      | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,2,4-Trimethylbenzene             | 95-63-6                    | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.3                                  | 1,2-Dibromo-3-chloropropane        | 96-12-8                    | 0.040   | 0.040   | 0.20                                                                                                                    | 0.010                                                                                                                   | U                                                                                                                       | 0.010                                                                                                                                                | U                                                                                                                                                                      | 0.010                                                                                              | U                                                                                                  | 0.010                                           | U                                                                                                  | 0.010                                                                                                                                                                                       | U    |      |      |      |      |      |      |      |      |      |   |
| 524.3                                  | 1,2-Dibromoethane (EDB)            | 106-93-4                   | 0.040   | 0.040   | 0.050                                                                                                                   | 0.020                                                                                                                   | U                                                                                                                       | 0.020                                                                                                                                                | U                                                                                                                                                                      | 0.020                                                                                              | U                                                                                                  | 0.020                                           | U                                                                                                  | 0.020                                                                                                                                                                                       | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,2-Dichloroethane                 | 107-06-2                   | 5.0     | -       | 5.0                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,2-Dichloropropane                | 78-87-5                    | 5.0     | 5.0     | 5.0                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,3,5-Trimethylbenzene             | 108-67-8                   | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,3-Dichloropropane                | 142-28-9                   | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 1,3-Dichloropropene, Total         | 542-75-6                   | 0.060   | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 2,2-Dichloropropane                | 594-20-7                   | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 2-Butanone                         | 78-93-3                    | 5587    | -       | 5.0                                                                                                                     | U                                                                                                                       | 5.0                                                                                                                     | U                                                                                                                                                    | 5.0                                                                                                                                                                    | U                                                                                                  | 5.0                                                                                                | U                                               | 5.0                                                                                                | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 2-Chlorotoluene                    | 95-49-8                    | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 2-Hexanone                         | 591-78-6                   | -       | -       | 5.0                                                                                                                     | U                                                                                                                       | 5.0                                                                                                                     | U                                                                                                                                                    | 5.0                                                                                                                                                                    | U                                                                                                  | 5.0                                                                                                | U                                               | 5.0                                                                                                | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 4-Chlorotoluene                    | 106-43-4                   | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | 4-Methyl-2-pentanone               | 108-10-1                   | 170     | -       | 5.0                                                                                                                     | U                                                                                                                       | 5.0                                                                                                                     | U                                                                                                                                                    | 5.0                                                                                                                                                                    | U                                                                                                  | 5.0                                                                                                | U                                               | 5.0                                                                                                | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | Benzene                            | 71-43-2                    | 5.0     | 5.0     | 5.0                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | Bromobenzene                       | 108-86-1                   | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | Bromochloromethane                 | 74-97-5                    | -       | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           |      |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | Bromodichloromethane               | 75-27-4                    | 0.14    | -       | 80                                                                                                                      | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    |      |      |      |      |      |      |      |      |      |   |
| 524.2                                  | Bromoforn                          | 75-25-2                    | 80      | 80      | 80                                                                                                                      | 2.2                                                                                                                     | U                                                                                                                       | 2.2                                                                                                                                                  | U                                                                                                                                                                      | 1.8                                                                                                | U                                                                                                  | 2.5                                             | U                                                                                                  | 2.1                                                                                                                                                                                         | U    | 0.94 | U    | 1.6  | U    | 1.1  | U    |      |      |      |   |
| 524.2                                  | Bromomethane                       | 74-83-9                    | 7.6     | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    |      |      |   |
| 524.2                                  | Carbon tetrachloride               | 56-23-5                    | 5.0     | 5.0     | 5.0                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    |      |   |
| 524.2                                  | Chlorobenzene                      | 108-90-7                   | 25      | 100     | 100                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    |      |   |
| 524.2                                  | Chloroethane                       | 75-00-3                    | 16      | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    |   |
| 524.2                                  | Chloroform                         | 67-66-3                    | 28      | -       | 80                                                                                                                      | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    |      |   |
| 524.2                                  | Chloromethane                      | 74-87-3                    | 188     | -       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                                                    | 0.50                                                                                                                                                                   | U                                                                                                  | 0.50                                                                                               | U                                               | 0.50                                                                                               | U                                                                                                                                                                                           | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    |   |
| 524.2                                  | cis-1,2-Dichloroethene             | 156-59-2                   | 70      | 70      | 70                                                                                                                      | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | cis-1,3-Dichloropropene            | 10061-01-5                 | -       | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Dibromochloromethane               | 124-48-1                   | 0.93    | -       | 80                                                                                                                      | 0.97                                                                                                                    | U                                                                                                                       | 0.8                                                                                                                                                  | U                                                                                                                                                                      | 0.61                                                                                               | U                                                                                                  | 0.63                                            | U                                                                                                  | 0.71                                                                                                                                                                                        | U    | 0.74 | U    | 0.35 | J    | 0.65 | U    | 0.24 | J    | 0.50 | U |
| 524.2                                  | Dibromomethane                     | 74-95-3                    | -       | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Dichlorodifluoromethane (Freon 12) | 75-71-8                    | -       | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Di-isopropyl ether                 | 108-20-3                   | -       | -       | -                                                                                                                       | 2.0                                                                                                                     | U                                                                                                                       | 2.0                                                                                                                                                  | U                                                                                                                                                                      | 2.0                                                                                                | U                                                                                                  | 2.0                                             | U                                                                                                  | 2.0                                                                                                                                                                                         | U    | 2.0  | U    | 2.0  | U    | 2.0  | U    | 2.0  | U    | 2.0  | U |
| 524.2                                  | Ethyl tert-butyl ether             | 637-92-3                   | -       | -       | -                                                                                                                       | 2.0                                                                                                                     | U                                                                                                                       | 2.0                                                                                                                                                  | U                                                                                                                                                                      | 2.0                                                                                                | U                                                                                                  | 2.0                                             | U                                                                                                  | 2.0                                                                                                                                                                                         | U    | 2.0  | U    | 2.0  | U    | 2.0  | U    | 2.0  | U    | 2.0  | U |
| 524.2                                  | Ethylbenzene                       | 100-41-4                   | 7.3     | 700     | 700                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Freon 113                          | 76-13-1                    | -       | -       | -                                                                                                                       | 5.0                                                                                                                     | U                                                                                                                       | 5.0                                                                                                                                                  | U                                                                                                                                                                      | 5.0                                                                                                | U                                                                                                  | 5.0                                             | U                                                                                                  | 5.0                                                                                                                                                                                         | U    | 5.0  | U    | 5.0  | U    | 5.0  | U    | 5.0  | U    | 5.0  | U |
| 524.2                                  | Hexachlorobutadiene                | 87-68-3                    | 0.20    | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Isopropylbenzene                   | 98-06-8                    | -       | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | m,p-Xylene                         | 179601-02-1                | -       | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | m-Dichlorobenzene                  | 541-73-1                   | 5.0     | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Methyl tert-butyl ether (MTBE)     | 1634-04-4                  | 5.0     | -       | -                                                                                                                       | 2.0                                                                                                                     | U                                                                                                                       | 2.0                                                                                                                                                  | U                                                                                                                                                                      | 2.0                                                                                                | U                                                                                                  | 2.0                                             | U                                                                                                  | 2.0                                                                                                                                                                                         | U    | 2.0  | U    | 2.0  | U    | 2.0  | U    | 2.0  | U    | 2.0  | U |
| 524.2                                  | Methylene chloride                 | 75-09-2                    | 5.0     | -       | 5.0                                                                                                                     | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  | 0.50                                            | U                                                                                                  | 0.50                                                                                                                                                                                        | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U    | 0.50 | U |
| 524.2                                  | Naphthalene                        | 91-20-3                    | 12      | -       | -                                                                                                                       | 0.50                                                                                                                    | U                                                                                                                       | 0.50                                                                                                                                                 | U                                                                                                                                                                      | 0.50                                                                                               | U                                                                                                  |                                                 |                                                                                                    |                                                                                                                                                                                             |      |      |      |      |      |      |      |      |      |      |   |

[illegible]

Joint Base Pearl Harbor Hickam Drinking Water Issue  
Weck Laboratory Results - Drinking Water - Non-Navy Water System Sample Results

| Location (General Location / Building) |                                    |             |                            |         |         | Halawa Correctional Facility                                                                       |   |
|----------------------------------------|------------------------------------|-------------|----------------------------|---------|---------|----------------------------------------------------------------------------------------------------|---|
| Specific Location                      |                                    |             |                            |         |         | spigot on side of building                                                                         |   |
| Field Observations                     |                                    |             |                            |         |         | Ambient PID: 0.0 ppm, Sampling Point PID: 0.0 ppm, no odor detected, no visual indication of sheen |   |
| Sample ID                              |                                    |             |                            |         |         | ERH4052                                                                                            |   |
| Sampling Date                          |                                    |             |                            |         |         | 12/9/2021                                                                                          |   |
| Sampling Time                          |                                    |             |                            |         |         | 11:40                                                                                              |   |
| Associated Trip Blank                  |                                    |             |                            |         |         | ERH4043                                                                                            |   |
| Type                                   |                                    |             |                            |         |         | Normal                                                                                             |   |
| Test Method                            | Analyte                            |             | DOH Tier 1 EAL (Table D1a) | DOH MCL | EPA MCL | Result                                                                                             |   |
| 245.1                                  | Mercury                            | 7487-94-7   | 0.025                      | 2.0     | 2.0     | 0.05                                                                                               | U |
| 8260                                   | TPH-g                              | Gas         | 300                        | -       | -       | 100                                                                                                | U |
| 8015                                   | TPH-d                              | Diesel      | 400                        | -       | -       | 90                                                                                                 | J |
| 524.2                                  | 1,1,1,2-Tetrachloroethane          | 630-20-6    | 0.61                       | -       | -       | -                                                                                                  |   |
| 524.2                                  | 1,1,1-Trichloroethane              | 71-55-6     | 11                         | 200     | 200     | 0.50                                                                                               | U |
| 524.2                                  | 1,1,2,2-Tetrachloroethane          | 79-34-5     | 0.078                      | -       | -       | -                                                                                                  |   |
| 524.2                                  | 1,1,2-Trichloroethane              | 79-00-5     | 5.0                        | 5.0     | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | 1,1-Dichloroethane                 | 75-34-3     | 2.8                        | -       | -       | -                                                                                                  |   |
| 524.2                                  | 1,1-Dichloroethene                 | 75-34-3     | 2.8                        | -       | -       | 0.50                                                                                               | U |
| 524.2                                  | 1,1-Dichloropropene                | 563-58-6    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 1,2,3-Trichlorobenzene             | 87-61-6     | -                          | -       | -       | -                                                                                                  |   |
| 524.2M                                 | 1,2,3-Trichloropropane             | 96-18-4     | 0.60                       | 0.60    | -       | -                                                                                                  |   |
| 524.2                                  | 1,2,4-Trichlorobenzene             | 120-82-1    | 70                         | 70      | 70      | 0.50                                                                                               | U |
| 524.2                                  | 1,2,4-Trimethylbenzene             | 95-63-6     | -                          | -       | -       | -                                                                                                  |   |
| 524.3                                  | 1,2-Dibromo-3-chloropropane        | 96-12-8     | 0.040                      | 0.040   | 0.20    | -                                                                                                  |   |
| 524.3                                  | 1,2-Dibromoethane (EDB)            | 106-93-4    | 0.040                      | 0.040   | 0.050   | -                                                                                                  |   |
| 524.2                                  | 1,2-Dichloroethane                 | 107-06-2    | 5.0                        | -       | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | 1,2-Dichloropropane                | 78-87-5     | 5.0                        | 5.0     | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | 1,3,5-Trimethylbenzene             | 108-67-8    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 1,3-Dichloropropane                | 142-28-9    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 1,3-Dichloropropene, Total         | 542-75-6    | 0.060                      | -       | -       | -                                                                                                  |   |
| 524.2                                  | 2,2-Dichloropropane                | 594-20-7    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 2-Butanone                         | 78-93-3     | 5587                       | -       | -       | -                                                                                                  |   |
| 524.2                                  | 2-Chlorotoluene                    | 95-49-8     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 2-Hexanone                         | 591-78-6    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 4-Chlorotoluene                    | 106-43-4    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | 4-Methyl-2-pentanone               | 108-10-1    | 170                        | -       | -       | -                                                                                                  |   |
| 524.2                                  | Benzene                            | 71-43-2     | 5.0                        | 5.0     | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | Bromobenzene                       | 108-86-1    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Bromochloromethane                 | 74-97-5     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Bromodichloromethane               | 75-27-4     | 0.14                       | -       | 80      | -                                                                                                  |   |
| 524.2                                  | Bromoform                          | 75-25-2     | 80                         | 80      | 80      | -                                                                                                  |   |
| 524.2                                  | Bromomethane                       | 74-83-9     | 7.6                        | -       | -       | -                                                                                                  |   |
| 524.2                                  | Carbon tetrachloride               | 56-23-5     | 5.0                        | 5.0     | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | Chlorobenzene                      | 108-90-7    | 25                         | 100     | 100     | 0.50                                                                                               | U |
| 524.2                                  | Chloroethane                       | 75-00-3     | 16                         | -       | -       | -                                                                                                  |   |
| 524.2                                  | Chloroform                         | 67-66-3     | 28                         | -       | 80      | -                                                                                                  |   |
| 524.2                                  | Chloromethane                      | 74-87-3     | 188                        | -       | -       | -                                                                                                  |   |
| 524.2                                  | cis-1,2-Dichloroethene             | 156-59-2    | 70                         | 70      | 70      | 0.50                                                                                               | U |
| 524.2                                  | cis-1,3-Dichloropropene            | 10061-01-5  | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Dibromochloromethane               | 124-48-1    | 0.93                       | -       | 80      | -                                                                                                  |   |
| 524.2                                  | Dibromomethane                     | 74-95-3     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Dichlorodifluoromethane (Freon 12) | 75-71-8     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Di-isopropyl ether                 | 108-20-3    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Ethyl tert-butyl ether             | 637-92-3    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Ethylbenzene                       | 100-41-4    | 7.3                        | 700     | 700     | 0.50                                                                                               | U |
| 524.2                                  | Freon 113                          | 76-13-1     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Hexachlorobutadiene                | 87-68-3     | 0.20                       | -       | -       | -                                                                                                  |   |
| 524.2                                  | Isopropylbenzene                   | 98-82-8     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | m,p-Xylene                         | 179601-23-1 | -                          | -       | -       | 0.50                                                                                               | U |
| 524.2                                  | m-Dichlorobenzene                  | 541-73-1    | 5.0                        | -       | -       | -                                                                                                  |   |
| 524.2                                  | Methyl tert-butyl ether (MTBE)     | 1634-04-4   | 5.0                        | -       | -       | -                                                                                                  |   |
| 524.2                                  | Methylene chloride                 | 75-09-2     | 5.0                        | -       | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | Naphthalene                        | 91-20-3     | 12                         | -       | -       | -                                                                                                  |   |
| 524.2                                  | n-Butylbenzene                     | 104-51-8    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | n-Propylbenzene                    | 103-65-1    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | o-Dichlorobenzene                  | 95-50-1     | 10                         | 600     | 600     | 0.50                                                                                               | U |
| 524.2                                  | o-Xylene                           | 95-47-6     | -                          | -       | -       | 0.50                                                                                               | U |
| 524.2                                  | p-Dichlorobenzene                  | 106-46-7    | 5.0                        | 75      | 75      | 0.50                                                                                               | U |
| 524.2                                  | p-Isopropyltoluene                 | 99-87-6     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | sec-Butylbenzene                   | 135-98-8    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Styrene                            | 100-42-5    | 10                         | 100     | 100     | 0.50                                                                                               | U |
| 524.2                                  | Tert-amyl methyl ether             | 994-05-8    | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | tert-Butylbenzene                  | 98-06-6     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Tetrachloroethene                  | 127-18-4    | 5.0                        | 5.0     | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | THMs, Total                        | -           | -                          | 80      | 80      | -                                                                                                  |   |
| 524.2                                  | Toluene                            | 108-88-3    | 9.8                        | 1000    | 1000    | 0.50                                                                                               | U |
| 524.2                                  | trans-1,2-Dichloroethene           | 156-60-5    | 100                        | 100     | 100     | 0.50                                                                                               | U |
| 524.2                                  | trans-1,3-Dichloropropene          | 10061-02-6  | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Trichloroethene                    | 79-01-6     | 5.0                        | 5.0     | 5.0     | 0.50                                                                                               | U |
| 524.2                                  | Trichlorofluoromethane             | 75-69-4     | -                          | -       | -       | -                                                                                                  |   |
| 524.2                                  | Vinyl chloride                     | 75-01-4     | 2.0                        | 2.0     | 2.0     | 0.50                                                                                               | U |
| 524.2                                  | Xylenes, Total                     | 1330-20-7   | 13                         | 10000   | 10000   | -                                                                                                  |   |
| 200.8                                  | Antimony                           | 7440-36-0   | 6.0                        | 6.0     | 6.0     | 0.50                                                                                               | U |
| 200.8                                  | Arsenic                            | 7440-38-2   | 10                         | 10      | 10      | 0.11                                                                                               | J |
| 200.8                                  | Barium                             | 7440-39-3   | 220                        | 2000    | 2000    | 8.8                                                                                                | J |
| 200.8                                  | Beryllium                          | 7440-41-7   | 0.66                       | 4.0     | 4.0     | 0.10                                                                                               | U |
| 200.8                                  | Cadmium                            | 7440-43-9   | 3.0                        | 5.0     | -       | 0.20                                                                                               | U |
| 200.8                                  | Copper                             | 7440-50-8   | 2.9                        | 1300    | 1300    | 1.5                                                                                                | J |
| 200.8                                  | Lead                               | 7439-92-1   | 5.6                        | 15      | 15      | 0.09                                                                                               | J |
| 200.8                                  | Nickel                             | 7440-02-0   | 5.0                        | -       | -       | 0.32                                                                                               | J |
| 200.8                                  | Selenium                           | 7782-49-2   | 5.0                        | 50      | 50      | 0.45                                                                                               | J |
| 200.8                                  | Thallium                           | 7440-28-0   | 2.0                        | 2.0     | 2.0     | 0.20                                                                                               | U |
| 525.2                                  | 1-Methylnaphthalene                | 90-12-0     | 2.1                        | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | 2-(2-Methoxyethoxy)ethanol         | 111-77-3    | -                          | -       | -       | 0.16                                                                                               | U |
| 525.2                                  | 2-Methylnaphthalene                | 91-57-6     | 4.7                        | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Acenaphthene                       | 83-32-9     | 15                         | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Acenaphthylene                     | 208-96-8    | 13                         | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Alachlor                           | 15972-60-8  | -                          | -       | 2.0     | 0.10                                                                                               | U |
| 525.2                                  | alpha-Chlordane                    | 5103-71-9   | -                          | -       | -       | 0.10                                                                                               | U |
| 525.2                                  | Anthracene                         | 120-12-7    | 0.020                      | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Atrazine                           | 1912-24-9   | 3.0                        | 3.0     | 3.0     | 0.10                                                                                               | U |
| 525.2                                  | Benzo (a) anthracene               | 56-55-3     | 0.027                      | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Benzo (a) pyrene                   | 50-32-8     | 0.060                      | 0.20    | 0.20    | 0.050                                                                                              | U |
| 525.2                                  | Benzo (b) fluoranthene             | 205-99-2    | 0.22                       | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Benzo (g,h,i) perylene             | 191-24-2    | 0.13                       | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Benzo (k) fluoranthene             | 207-08-9    | 0.40                       | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Bis(2-ethylhexyl)adipate           | 103-23-1    | -                          | -       | 400     | 5.0                                                                                                | U |
| 525.2                                  | Bis(2-ethylhexyl)phthalate         | 117-81-7    | 3.0                        | 6.0     | 6.0     | 3.0                                                                                                | U |
| 525.2                                  | Chrysene                           | 218-01-9    | 1.0                        | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | cis-Nonachlor                      | 5103-73-1   | -                          | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Dibenzo (a,h) anthracene           | 53-70-3     | 0.022                      | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Endrin                             | 72-20-8     | 0.0023                     | 2.0     | 2.0     | 0.20                                                                                               | U |
| 525.2                                  | Fluoranthene                       | 206-44-0    | 0.80                       | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Fluorene                           | 86-73-7     | 3.9                        | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | gamma-BHC (Lindane)                | 58-89-9     | 0.063                      | 0.20    | 0.20    | 0.10                                                                                               | U |
| 525.2                                  | gamma-Chlordane                    | 5103-74-2   | -                          | -       | -       | 0.10                                                                                               | U |
| 525.2                                  | Heptachlor                         | 76-44-8     | 0.0036                     | 0.40    | 0.40    | 0.10                                                                                               | U |
| 525.2                                  | Heptachlor epoxide                 | 1024-57-3   | 0.0036                     | 0.20    | 0.20    | 0.10                                                                                               | U |
| 525.2                                  | Hexachlorocyclopentadiene          | 77-47-4     | -                          | -       | 50      | 1.0                                                                                                | U |
| 525.2                                  | Indeno (1,2,3-cd) pyrene           | 193-39-5    | 0.095                      | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Methoxychlor                       | 72-43-5     | 0.030                      | 40      | 40      | 0.20                                                                                               | U |
| 525.2                                  | Naphthalene                        | 91-20-3     | 12                         | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Pentachlorophenol                  | 87-86-5     | 1.0                        | 1.0     | 1.0     | 1.0                                                                                                | U |
| 525.2                                  | Phenanthrene                       | 85-01-8     | 2.3                        | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Pyrene                             | 129-00-0    | 4.6                        | -       | -       | 0.050                                                                                              | U |
| 525.2                                  | Simazine                           | 122-34-9    | 4.0                        | 4.0     | 4.0     | 0.10                                                                                               | U |
| 525.2                                  | trans-Nonachlor                    | 39765-80-5  | -                          | -       | -       | 0.050                                                                                              | U |

# Joint Base Pearl Harbor Hickam Drinking Water Issue

## Total Organic Carbon Screening Data

Value - Detected at a measurable level (>0.5 ppm)

Trace - Detected at a measurable level, but below the Lower Reportable Level

Non-Detect - Not at a detectable level (<0.2 ppm)

Lower reportable limit = 0.5 ppm

Lower detectable limit = 0.2 ppm

| LabNumber | SampleDate | SampleID                       | Results (PPM) |
|-----------|------------|--------------------------------|---------------|
| 22-01067  | 12/1/2021  | 569 DEWART LN                  | 10.6          |
| 22-01269  | 12/2/2021  | 1028 MEAE ST                   | 9.8           |
| 22-01343  | 12/2/2021  | 4013 NONNAN ST                 | 8.7           |
| 22-01345  | 12/2/2021  | 1676 NYE CIR                   | 6.6           |
| 22-01101  | 12/1/2021  | 2853C KAE E LP                 | 4.6           |
| 22-01574  | 12/2/2021  | CV18F0126 RHSF RHMW15-05, NAVY | 3.5           |
| 22-01573  | 12/2/2021  | CV18F0126 RHSF RHMW15-05, NAVY | 3.4           |
| 22-01924  | 12/8/2021  | *PEARL HARBOR COMMISSARY       | 3.0           |
| 22-01570  | 12/1/2021  | RHMW02                         | 2.9           |
| 22-01104  | 12/1/2021  | 4015 NOONAN LP                 | 2.8           |
| 22-01522  | 12/3/2021  | 5218 FUQUA LN                  | 2.8           |
| 22-01014  | 12/1/2021  | RHMW02 DUPLICATE               | 2.6           |
| 22-01014  | 12/1/2021  | RHMW02                         | 2.6           |
| 22-01568  | 12/1/2021  | RHMW03                         | 1.6           |
| 22-02090  | 12/10/2021 | *PEARL HARBOR COMMISSARY       | 1.6           |
| 22-01011  | 12/1/2021  | RHMW03                         | 1.4           |
| 22-01011  | 12/1/2021  | RHMW03 DUPLICATE               | 1.4           |
| 22-01569  | 12/1/2021  | CV18F0126 RHSF RHMW05, NAVY    | 1.0           |
| 22-01032  | 12/1/2021  | 5300 CATLIN LN DUPLICATE       | 1.0           |
| 22-01556  | 12/4/2021  | *CAMP SMITH CLINIC             | 1.0           |
| 22-01097  | 12/1/2021  | 2873 A HAPUE LP                | 0.9           |
| 22-01032  | 12/1/2021  | 5300 CATLIN LN                 | 0.9           |
| 22-01567  | 12/1/2021  | CV18F0126 RHSF RHMW01R, NAVY   | 0.9           |
| 22-02002  | 12/9/2021  | *NEX COMMISSARY                | 0.8           |
| 22-02031  | 12/9/2021  | DOH 6666 B 106TH ST            | 0.8           |
| 22-01028  | 12/1/2021  | 3188 GILLESPIE LN              | 0.8           |
| 22-01816  | 12/7/2021  | 972 OHANA NUI CIR              | 0.8           |
| 22-01245  | 12/2/2021  | 2599 STOWELL CIR               | 0.8           |
| 22-01589  | 12/5/2021  | 232 MERCURY ST                 | 0.7           |
| 22-01240  | 12/2/2021  | 2603 STOWELL CIR               | 0.7           |
| 22-01057  | 12/1/2021  | 5307 HAMMOND LN                | 0.7           |
| 22-01095  | 12/1/2021  | 4037 ENGER ST                  | 0.7           |
| 22-01091  | 12/1/2021  | 2269 DORRISMILLER LP APT D     | 0.7           |
| 22-01061  | 12/1/2021  | 5306 HAMMOND LN                | 0.7           |
| 22-01013  | 12/1/2021  | CV18F0126 RHSF RHMW01R, NAVY   | 0.7           |
| 22-01081  | 12/1/2021  | 2271 DORRISMILLER LP           | 0.6           |
| 22-01558  | 12/4/2021  | *KING HALL                     | 0.6           |
| 22-01230  | 12/2/2021  | 165 OHANA NUI CIR              | 0.6           |
| 22-01239  | 12/2/2021  | 2618 STOWELL CIR               | 0.6           |
| 22-01575  | 12/1/2021  | CV18F0126 RHSF RHMW08, NAVY    | 0.6           |
| 22-02082  | 12/10/2021 | *MCGREW COMM CTR               | 0.6           |
| 22-02079  | 12/10/2021 | *KING HALL                     | 0.6           |
| 22-01010  | 12/1/2021  | RHBFSF, OWDF MWC1              | 0.6           |
| 22-00973  | 11/30/2021 | 2466 PUAKIKA                   | 0.6           |
| 22-01465  | 12/3/2021  | *LOWER ACCESS TUNNEL SHAFT     | 0.6           |
| 22-02004  | 12/9/2021  | *HALSEY TERRACE COMM CTR       | 0.6           |
| 22-01053  | 12/1/2021  | 17 MAKALAPA DR                 | 0.5           |
| 22-01092  | 12/1/2021  | 4014 NOONAN ST                 | 0.5           |
| 22-01392  | 12/2/2021  | 2711 STOWELL CIR               | 0.5           |
| 22-01099  | 12/1/2021  | 2269 DORRISMILLER LP APT C     | 0.5           |
| 22-00873  | 11/30/2021 | 822 HALSEY TERRACE             | 0.5           |
| 22-01094  | 12/1/2021  | 4165 PINCHER ST                | 0.5           |
| 22-01155  | 12/2/2021  | 2081 GIPPIA LP                 | 0.5           |
| 22-01394  | 12/2/2021  | 5011 KIDD ST                   | 0.5           |
| 22-01103  | 12/1/2021  | 2864 A HAPUE LP                | 0.5           |
| 22-01402  | 12/2/2021  | 3102 MOREELL DR                | 0.5           |

# Joint Base Pearl Harbor Hickam Drinking Water Issue

## Total Organic Carbon Screening Data

Value - Detected at a measurable level (>0.5 ppm)

Trace - Detected at a measurable level, but below the Lower Reportable Level

Non-Detect - Not at a detectable level (<0.2 ppm)

Lower reportable limit = 0.5 ppm

Lower detectable limit = 0.2 ppm

| LabNumber | SampleDate | SampleID                    | Results (PPM) |
|-----------|------------|-----------------------------|---------------|
| 22-01029  | 12/1/2021  | 3181 GILLESPIE LN           | 0.5           |
| 22-01056  | 12/1/2021  | 3296 SALUIT ST              | 0.5           |
| 22-01086  | 12/1/2021  | 3027 ANDERSON AVE           | 0.5           |
| 22-01063  | 12/1/2021  | 5227 CATLIN LN              | 0.5           |
| 22-01075  | 12/1/2021  | 5438 KILMER LN              | TRACE         |
| 22-00958  | 11/30/2021 | 3307 JALIUT LN              | TRACE         |
| 22-01720  | 12/6/2021  | 27 HALAWA DR                | TRACE         |
| 22-01852  | 12/7/2021  | BLDG 41 GUEST HOUSE         | TRACE         |
| 22-01397  | 12/2/2021  | 5402 MCMORRIS DR            | TRACE         |
| 22-01576  | 12/1/2021  | CV18F0126 RHSF RHMW08, NAVY | TRACE         |
| 22-01051  | 12/1/2021  | 5032 KIDD ST                | TRACE         |
| 22-01102  | 12/1/2021  | 2269 DORRISMILLER LP APT A  | TRACE         |
| 22-00978  | 11/30/2021 | 3142 SNYDER CT              | TRACE         |
| 22-01157  | 12/2/2021  | 142 MURRAY DR               | TRACE         |
| 22-01033  | 12/1/2021  | 3296 JALIUT LN              | TRACE         |
| 22-01275  | 12/2/2021  | 315 MALIA ST                | TRACE         |
| 22-01263  | 12/2/2021  | 2873 A HAPUE LP             | TRACE         |
| 22-01411  | 12/2/2021  | 2775 SCHMITT PKY            | TRACE         |
| 22-01964  | 12/8/2021  | **HALAWA WELL #3            | TRACE         |
| 22-02157  | 12/11/2021 | *MCGREW COMM CTR            | TRACE         |
| 22-02039  | 12/9/2021  | *SMITH HALL                 | TRACE         |
| 22-01062  | 12/1/2021  | 5300 CATLIN LN              | TRACE         |
| 22-01250  | 12/2/2021  | 4152 TINCHER ST             | TRACE         |
| 22-01068  | 12/1/2021  | 3264 MALOELAP ST            | TRACE         |
| 22-01963  | 12/8/2021  | **HALAWA WELL #2            | TRACE         |
| 22-01265  | 12/2/2021  | 132 KOKOMALEI ST            | TRACE         |
| 22-01079  | 12/1/2021  | 585 PAUL LN                 | TRACE         |
| 22-01412  | 12/2/2021  | 964 MURRAY DR               | TRACE         |
| 22-01241  | 12/2/2021  | 2573 STOWELL CIR            | TRACE         |
| 22-01611  | 12/5/2021  | 942 NANU ST                 | TRACE         |
| 22-01031  | 12/1/2021  | 5225 CATLIN LN              | TRACE         |
| 22-01417  | 12/2/2021  | 1626 NYE CIR                | TRACE         |
| 22-01058  | 12/1/2021  | 5223 CATLIN LN              | TRACE         |
| 22-01034  | 12/1/2021  | 3291 JALUIT LN              | TRACE         |
| 22-01001  | 12/1/2021  | 915 NORTH DR BLDG 1655      | TRACE         |
| 22-01054  | 12/1/2021  | 604 MEYERKORA LP            | TRACE         |
| 22-01712  | 12/6/2021  | HIANG BLDG 3417             | TRACE         |
| 22-01074  | 12/1/2021  | 5324 SHELDS ST              | TRACE         |
| 22-01236  | 12/2/2021  | 1060 H ST                   | TRACE         |
| 22-01070  | 12/1/2021  | 567 DEWART LN               | TRACE         |
| 22-01035  | 12/1/2021  | 3237 DEWERT LN              | TRACE         |
| 22-01399  | 12/2/2021  | 4338 FLAHERTY CIR           | TRACE         |
| 22-00897  | 11/30/2021 | 4326 FLAHERTY CIR           | TRACE         |
| 22-01055  | 12/1/2021  | 5268 CATLIN LN              | TRACE         |
| 22-01096  | 12/1/2021  | 2997 DRISKELL DR            | TRACE         |
| 22-01047  | 12/1/2021  | 848 MURRAY DR               | TRACE         |
| 22-01071  | 12/1/2021  | 3253 MALOELAP ST            | TRACE         |
| 22-01400  | 12/2/2021  | 5477 MCMORRIS DR            | TRACE         |
| 22-01134  | 12/2/2021  | 4055 NOONAN                 | TRACE         |
| 22-01060  | 12/1/2021  | 3424 MEYEKKREL PL DUPLICATE | TRACE         |
| 22-01133  | 12/2/2021  | 3072 ARIZONA RD             | TRACE         |
| 22-01153  | 12/2/2021  | 764 MURRAY DR               | TRACE         |
| 22-01003  | 12/1/2021  | 623 JULIAN WY               | TRACE         |
| 22-01150  | 12/2/2021  | 1650 FLAMBAGO CT            | TRACE         |
| 22-01261  | 12/2/2021  | 2856 D KOKIO LP             | TRACE         |
| 22-02179  | 12/12/2021 | *HALSEY TERRACE COMM CTR    | TRACE         |

# Joint Base Pearl Harbor Hickam Drinking Water Issue

## Total Organic Carbon Screening Data

Value - Detected at a measurable level (>0.5 ppm)

Trace - Detected at a measurable level, but below the Lower Reportable Level

Non-Detect - Not at a detectable level (<0.2 ppm)

Lower reportable limit = 0.5 ppm

Lower detectable limit = 0.2 ppm

| LabNumber | SampleDate | SampleID                          | Results (PPM) |
|-----------|------------|-----------------------------------|---------------|
| 22-01082  | 12/1/2021  | 1303 MCMORTY                      | TRACE         |
| 22-01098  | 12/1/2021  | 4081 NOONAN ST                    | TRACE         |
| 22-01043  | 12/1/2021  | 822 HAYS ST                       | TRACE         |
| 22-01396  | 12/2/2021  | 3146 MURELL ST                    | TRACE         |
| 22-01000  | 12/1/2021  | 530 PCLTIER AVE BLDG 1928         | TRACE         |
| 22-01066  | 12/1/2021  | 5318 SHIELBS ST                   | TRACE         |
| 22-01080  | 12/1/2021  | 3241 GILLESPIE LN                 | TRACE         |
| 22-01233  | 12/2/2021  | 311 LEHUA LN                      | TRACE         |
| 22-01012  | 12/1/2021  | CV18F0126 RHSF RHMW05, NAVY       | TRACE         |
| 22-01027  | 12/1/2021  | 3192 GILLESPIE LN                 | TRACE         |
| 22-01962  | 12/8/2021  | **HALAWA WELL #1 PRE-CHLORINATION | TRACE         |
| 22-01084  | 12/1/2021  | 2568 D KOKOS LP                   | TRACE         |
| 22-01090  | 12/1/2021  | 3136 SNYDER CT                    | TRACE         |
| 22-01249  | 12/2/2021  | 2978 ANDERSON AVE                 | TRACE         |
| 22-00968  | 11/30/2021 | 3144 SNYDER CT                    | TRACE         |
| 22-01593  | 12/5/2021  | *LOWER ACCESS TUNNEL SHAFT        | TRACE         |
| 22-01077  | 12/1/2021  | 3240 GILLESPIE LN                 | TRACE         |
| 22-01064  | 12/1/2021  | 575 DICKSON LN                    | TRACE         |
| 22-01928  | 12/8/2021  | *HALSEY TERRACE COMM CTR          | TRACE         |
| 22-01341  | 12/2/2021  | 2913 ARIZONA RD                   | TRACE         |
| 22-01048  | 12/1/2021  | 2765 ARIZONA RD                   | TRACE         |
| 22-01131  | 12/2/2021  | 735 SIBLEY ST                     | TRACE         |
| 22-01395  | 12/2/2021  | 5559 BENNION DR                   | TRACE         |
| 22-01049  | 12/1/2021  | 3225 TOMICH                       | TRACE         |
| 22-01183  | 12/2/2021  | 2583 STOWELL PL                   | TRACE         |
| 22-01030  | 12/1/2021  | 5227 CATLIN LN                    | TRACE         |
| 22-01073  | 12/1/2021  | 577 MALOELAP LN                   | TRACE         |
| 22-01100  | 12/1/2021  | 3142 SNYDER CR                    | TRACE         |
| 22-01204  | 12/2/2021  | 4115 COLGROVE                     | TRACE         |
| 22-01376  | 12/2/2021  | 128 1ST ST                        | TRACE         |
| 22-01129  | 12/2/2021  | 813 HAYS ST                       | TRACE         |
| 22-01002  | 12/1/2021  | 170 KUNTZ AVE BLDG 1654           | TRACE         |
| 22-01425  | 12/2/2021  | 6212 CIGAR LN                     | TRACE         |
| 22-01413  | 12/2/2021  | 933 MURRAY DR                     | TRACE         |
| 22-01024  | 12/1/2021  | OKANE BLVD BLDG 1597              | TRACE         |
| 22-01999  | 12/8/2021  | *LOCK WOOD HALL                   | TRACE         |
| 22-00918  | 11/30/2021 | 5437 KILMER LN                    | TRACE         |
| 22-01004  | 12/1/2021  | 1 OHANA NUI WAY                   | TRACE         |
| 22-01085  | 12/1/2021  | 2637 GORDON ST                    | TRACE         |
| 22-00894  | 11/30/2021 | 5150 WARDEN CT                    | TRACE         |
| 22-01154  | 12/2/2021  | 2783 ARIZONA RD                   | TRACE         |
| 22-01243  | 12/2/2021  | 1932 NYE PL                       | TRACE         |
| 22-01089  | 12/1/2021  | 3222 PETERSON CT                  | TRACE         |
| 22-01389  | 12/2/2021  | 860 MURRAY DR                     | TRACE         |
| 22-01381  | 12/2/2021  | 1802 FISHER CT                    | TRACE         |
| 22-01040  | 12/1/2021  | 811 RODGERS ST                    | TRACE         |
| 22-01059  | 12/1/2021  | 3221 DEWERT LN                    | TRACE         |
| 22-01159  | 12/2/2021  | 4071 NOONAN ST                    | TRACE         |
| 22-01248  | 12/2/2021  | 2681 GORDON ST                    | TRACE         |
| 22-01052  | 12/1/2021  | 5433 MCMORRIS DR                  | TRACE         |
| 22-01779  | 12/7/2021  | 801 OHANA NUI CIR                 | TRACE         |
| 22-01072  | 12/1/2021  | 5254 SHIELDS                      | TRACE         |
| 22-01820  | 12/7/2021  | 907 OHANA NUI CIR                 | TRACE         |
| 22-01543  | 12/4/2021  | *LOWER ACCESS TUNNEL SHAFT        | TRACE         |
| 22-01026  | 12/1/2021  | 3187 GLILLESPIE LN                | TRACE         |
| 22-01036  | 12/1/2021  | 5441 BENFOLD LN                   | TRACE         |

# Joint Base Pearl Harbor Hickam Drinking Water Issue

## Total Organic Carbon Screening Data

Value - Detected at a measurable level (>0.5 ppm)

Trace - Detected at a measurable level, but below the Lower Reportable Level

Non-Detect - Not at a detectable level (<0.2 ppm)

Lower reportable limit = 0.5 ppm

Lower detectable limit = 0.2 ppm

| LabNumber | SampleDate | SampleID                        | Results (PPM) |
|-----------|------------|---------------------------------|---------------|
| 22-01398  | 12/2/2021  | 3136 MOREELL                    | TRACE         |
| 22-01151  | 12/2/2021  | 769 MURRAY DR                   | TRACE         |
| 22-01401  | 12/2/2021  | 5013 KIDD ST                    | TRACE         |
| 22-02003  | 12/9/2021  | *MFLC                           | TRACE         |
| 22-01474  | 12/3/2021  | 5314 SHIELDS ST                 | TRACE         |
| 22-01093  | 12/1/2021  | 4833 KAMEHAMEHA LP              | TRACE         |
| 22-01050  | 12/1/2021  | 4611 SCOTT                      | TRACE         |
| 22-01247  | 12/2/2021  | 738 HIBISCUS ST                 | TRACE         |
| 22-02148  | 12/11/2021 | *MAKALAPA NGIS                  | TRACE         |
| 22-01076  | 12/1/2021  | 3219 GILLESPIE LN               | TRACE         |
| 22-01246  | 12/2/2021  | 724 SIBLEY ST                   | TRACE         |
| 22-01078  | 12/1/2021  | 3232 DEWERT LN                  | TRACE         |
| 22-01259  | 12/2/2021  | 2865 HAPUE LP                   | TRACE         |
| 22-01384  | 12/2/2021  | 208 2ND ST                      | TRACE         |
| 22-01835  | 12/7/2021  | *SMITH HALL                     | TRACE         |
| 22-01045  | 12/1/2021  | 1958 OCALLAHAN                  | TRACE         |
| 22-01690  | 12/6/2021  | *PUMP STATION BLDG 408 PRE C12  | TRACE         |
| 22-01041  | 12/1/2021  | 831 HAMMERBURG ST               | TRACE         |
| 22-01135  | 12/2/2021  | 4116 FINCHER ST                 | TRACE         |
| 22-01244  | 12/2/2021  | 2595 STOWELL CIR                | TRACE         |
| 22-01088  | 12/1/2021  | 2269 DORRISMILLER LP APT B      | TRACE         |
| 22-01083  | 12/1/2021  | 3178 SNYDER CT                  | TRACE         |
| 22-00920  | 11/30/2021 | 905 OHANA NIU CIR               | TRACE         |
| 22-01008  | 12/1/2021  | 726 POOL ST                     | TRACE         |
| 22-01158  | 12/2/2021  | 1732 TEARC CT                   | TRACE         |
| 22-01006  | 12/1/2021  | 80 UUWAI ST BLDG 1597           | TRACE         |
| 22-01044  | 12/1/2021  | 4040 NOONAN                     | TRACE         |
| 22-01256  | 12/2/2021  | 4015 NOONAN ST                  | TRACE         |
| 22-01518  | 12/3/2021  | 4204 THOMAS WAY                 | TRACE         |
| 22-01042  | 12/1/2021  | 822 HAMMERBURG ST               | TRACE         |
| 22-01156  | 12/2/2021  | 910 MURRAY DR                   | TRACE         |
| 22-00883  | 11/30/2021 | 2645 GORDON ST                  | TRACE         |
| 22-01038  | 12/1/2021  | 817 ROGERS ST                   | TRACE         |
| 22-01087  | 12/1/2021  | 4671 NOONAN ST                  | TRACE         |
| 22-00999  | 12/1/2021  | 522 CENTER DR                   | TRACE         |
| 22-01375  | 12/2/2021  | 3267 MALOELAP ST                | TRACE         |
| 22-01379  | 12/2/2021  | 330 LEVATO                      | TRACE         |
| 22-01475  | 12/3/2021  | 5425 KILMER LN                  | TRACE         |
| 22-00910  | 11/30/2021 | 141 KOKOMALEI ST                | TRACE         |
| 22-00949  | 11/30/2021 | 822 MAYES ST                    | TRACE         |
| 22-02194  | 12/12/2021 | BLDG 303, BEQ                   | TRACE         |
| 22-01316  | 12/2/2021  | *PUMP STATION BLDG 408 POST C12 | TRACE         |
| 22-01585  | 12/5/2021  | *NEX COMMISSARY                 | TRACE         |
| 22-02185  | 12/12/2021 | *UNIFORM NEX                    | TRACE         |
| 22-01267  | 12/2/2021  | 936 OHANA NUI CIR               | TRACE         |
| 22-02123  | 12/10/2021 | DOH 7236 BIRCH CIR              | TRACE         |
| 22-01228  | 12/2/2021  | 212 E 13TH ST                   | TRACE         |
| 22-02203  | 12/12/2021 | MANANA PUMP STATION             | TRACE         |
| 22-02205  | 12/12/2021 | 7334 BIRCH CIR                  | TRACE         |
| 22-01138  | 12/2/2021  | 2720 GORDON ST                  | TRACE         |
| 22-01187  | 12/2/2021  | 5150 MAREELL DR                 | TRACE         |
| 22-02186  | 12/12/2021 | *MAKALAPA NGIS                  | TRACE         |
| 22-00952  | 11/30/2021 | 5424 SHELTS ST                  | TRACE         |
| 22-01535  | 12/4/2021  | *UNIFORM NEX                    | TRACE         |
| 22-01258  | 12/2/2021  | 1303 MCMURTRY CT                | TRACE         |
| 22-01506  | 12/3/2021  | 6804 MILO LN                    | TRACE         |

# Joint Base Pearl Harbor Hickam Drinking Water Issue

## Total Organic Carbon Screening Data

Value - Detected at a measurable level (>0.5 ppm)

Trace - Detected at a measurable level, but below the Lower Reportable Level

Non-Detect - Not at a detectable level (<0.2 ppm)

Lower reportable limit = 0.5 ppm

Lower detectable limit = 0.2 ppm

| LabNumber | SampleDate | SampleID                        | Results (PPM) |
|-----------|------------|---------------------------------|---------------|
| 22-01776  | 12/7/2021  | 731 OHANA NUI CIR               | TRACE         |
| 22-02153  | 12/11/2021 | *CAMP SMITH CLINIC              | TRACE         |
| 22-01517  | 12/3/2021  | 3400 TAYLOR ST                  | TRACE         |
| 22-02155  | 12/11/2021 | *LOCK WOOD HALL                 | TRACE         |
| 22-01184  | 12/2/2021  | 1309 EAGLE CIR                  | TRACE         |
| 22-01196  | 12/2/2021  | 5556 BENINTON DR                | TRACE         |
| 22-01203  | 12/2/2021  | 3083 ANDERSON AVE               | TRACE         |
| 22-00957  | 11/30/2021 | 5224 SHIELDS ST                 | TRACE         |
| 22-01225  | 12/2/2021  | 3011 MOREELL CIR                | TRACE         |
| 22-01998  | 12/8/2021  | *SILVER DOLPHIN BISTRO          | TRACE         |
| 22-00880  | 11/30/2021 | 4076 ENGER ST                   | TRACE         |
| 22-02180  | 12/12/2021 | *MFLC                           | TRACE         |
| 22-01763  | 12/7/2021  | 3424 MEYERKOREL PL              | TRACE         |
| 22-02121  | 12/10/2021 | DOH 7257 BIRCH CIR              | TRACE         |
| 22-01046  | 12/1/2021  | 1960 OCALLAHAN                  | TRACE         |
| 22-01443  | 12/3/2021  | *AMR NEX                        | TRACE         |
| 22-02008  | 12/9/2021  | DOH AIEA HALAWA SHAFT           | TRACE         |
| 22-01037  | 12/1/2021  | 740 POOL ST                     | TRACE         |
| 22-00901  | 11/30/2021 | 1059 MUCERY PL                  | NON DETECT    |
| 22-02035  | 12/9/2021  | *CAMP SMITH CLINIC              | NON DETECT    |
| 22-01448  | 12/3/2021  | *PUMP STATION BLDG 408 PRE C12  | NON DETECT    |
| 22-01523  | 12/3/2021  | 4412 CLEARY BLVD                | NON DETECT    |
| 22-00948  | 11/30/2021 | 3085 ARIZONA RD                 | NON DETECT    |
| 22-01188  | 12/2/2021  | 3181 TOMICH CT                  | NON DETECT    |
| 22-00895  | 11/30/2021 | 4625 SCOTT LP                   | NON DETECT    |
| 22-01418  | 12/2/2021  | 758 MURRAY DR                   | NON DETECT    |
| 22-01579  | 12/4/2021  | *S1 TANK/AMR                    | NON DETECT    |
| 22-01221  | 12/2/2021  | 5033 KIDD ST                    | NON DETECT    |
| 22-01232  | 12/2/2021  | 777 OHANA NUI CIR               | NON DETECT    |
| 22-01578  | 12/4/2021  | RH LOWER TANK                   | NON DETECT    |
| 22-02204  | 12/12/2021 | 7397 BIRCH CIR                  | NON DETECT    |
| 22-01385  | 12/2/2021  | 666 MURRAY DR                   | NON DETECT    |
| 22-01388  | 12/2/2021  | 870 MURRAY DR                   | NON DETECT    |
| 22-01642  | 12/6/2021  | *LOCK WOOD HALL                 | NON DETECT    |
| 22-02193  | 12/12/2021 | BLDG 300, BLOCK A BEQ           | NON DETECT    |
| 22-00951  | 11/30/2021 | 4073 NOUNAN ST                  | NON DETECT    |
| 22-01194  | 12/2/2021  | 4933 KIDO CT                    | NON DETECT    |
| 22-01597  | 12/5/2021  | *PUMP STATION BLDG 408 PRE C12  | NON DETECT    |
| 22-02088  | 12/10/2021 | *UNIFORM NEX                    | NON DETECT    |
| 22-01308  | 12/2/2021  | *AMR NEX                        | NON DETECT    |
| 22-01314  | 12/2/2021  | *PUMP STATION BLDG 408 PRE C12  | NON DETECT    |
| 22-01386  | 12/2/2021  | 2580 STOWELL CIR                | NON DETECT    |
| 22-01614  | 12/5/2021  | 271 WELA LP                     | NON DETECT    |
| 22-02160  | 12/11/2021 | *SMITH HALL                     | NON DETECT    |
| 22-00943  | 11/30/2021 | 2748 GOLDON ST                  | NON DETECT    |
| 22-01227  | 12/2/2021  | 4334 FLAHERTY CIR               | NON DETECT    |
| 22-01226  | 12/2/2021  | 5109 WARDEN CT                  | NON DETECT    |
| 22-01407  | 12/2/2021  | 2873 HAPUE LP                   | NON DETECT    |
| 22-00953  | 11/30/2021 | 2872 ARIZONA RD                 | NON DETECT    |
| 22-01152  | 12/2/2021  | 1928 OCALLAHAN                  | NON DETECT    |
| 22-00864  | 11/30/2021 | 4032 MOFFET ST                  | NON DETECT    |
| 22-01253  | 12/2/2021  | 2834 GORDON ST                  | NON DETECT    |
| 22-00954  | 11/30/2021 | 2682 OKAWARA ST                 | NON DETECT    |
| 22-01447  | 12/3/2021  | *PUMP STATION BLDG 408 POST C12 | NON DETECT    |
| 22-02005  | 12/9/2021  | *NGIS                           | NON DETECT    |
| 22-01005  | 12/1/2021  | BLDG 930 CENTER DR              | NON DETECT    |

# Joint Base Pearl Harbor Hickam Drinking Water Issue

## Total Organic Carbon Screening Data

Value - Detected at a measurable level (>0.5 ppm)

Trace - Detected at a measurable level, but below the Lower Reportable Level

Non-Detect - Not at a detectable level (<0.2 ppm)

Lower reportable limit = 0.5 ppm

Lower detectable limit = 0.2 ppm

| LabNumber | SampleDate | SampleID                 | Results (PPM) |
|-----------|------------|--------------------------|---------------|
| 22-01192  | 12/2/2021  | 3444 TAYLOR ST           | NON DETECT    |
| 22-01371  | 12/2/2021  | 3046 ANDERSON AVE        | NON DETECT    |
| 22-02000  | 12/8/2021  | *UNIFORM NEX             | NON DETECT    |
| 22-01390  | 12/2/2021  | 1978 O'CALLAHAN ST       | NON DETECT    |
| 22-01255  | 12/2/2021  | 713 SIDLEY ST            | NON DETECT    |
| 22-01310  | 12/2/2021  | *UNIFORM NEX             | NON DETECT    |
| 22-02007  | 12/9/2021  | DOH AMR S-2              | NON DETECT    |
| 22-00898  | 11/30/2021 | 4337 FLAHERTY CIR        | NON DETECT    |
| 22-01559  | 12/4/2021  | MATHIES HALL BLDG 1854   | NON DETECT    |
| 22-00893  | 11/30/2021 | 4733 REEVES LP           | NON DETECT    |
| 22-00921  | 11/30/2021 | 615 GEMINI AVE           | NON DETECT    |
| 22-00932  | 11/30/2021 | 5268 SHIELDS LN          | NON DETECT    |
| 22-01065  | 12/1/2021  | DECA                     | NON DETECT    |
| 22-01483  | 12/3/2021  | 2928 ANDERSON AVE        | NON DETECT    |
| 22-01488  | 12/3/2021  | 588 PELTIER AVE          | NON DETECT    |
| 22-01368  | 12/2/2021  | 786 SIBLEY ST            | NON DETECT    |
| 22-00879  | 11/30/2021 | 2665 GORDON ST           | NON DETECT    |
| 22-01177  | 12/2/2021  | 1511 BUTTOWOOD PL        | NON DETECT    |
| 22-01380  | 12/2/2021  | 868 MURRAY DR            | NON DETECT    |
| 22-01444  | 12/3/2021  | *NEX COMMISSARY          | NON DETECT    |
| 22-00878  | 11/30/2021 | 2876 ANDERSON AVE        | NON DETECT    |
| 22-01340  | 12/2/2021  | 4119 HAMPTON ST          | NON DETECT    |
| 22-01007  | 12/1/2021  | 718 SIBLEY ST            | NON DETECT    |
| 22-01178  | 12/2/2021  | 1835 MYDRONA PL          | NON DETECT    |
| 22-01284  | 12/2/2021  | 5302 HAMMOND LN          | NON DETECT    |
| 22-01761  | 12/7/2021  | *HALSEY TERRACE COMM CTR | NON DETECT    |
| 22-00964  | 11/30/2021 | 4749 REEVES LP           | NON DETECT    |
| 22-00965  | 11/30/2021 | 643 POOL ST              | NON DETECT    |
| 22-00966  | 11/30/2021 | 817 ROGERS ST            | NON DETECT    |
| 22-01166  | 12/2/2021  | 3027 ANDERSON AVE        | NON DETECT    |
| 22-01374  | 12/2/2021  | 2944 ANDERSON AVE        | NON DETECT    |
| 22-01403  | 12/2/2021  | 5405 MCMORRIS DR         | NON DETECT    |
| 22-02181  | 12/12/2021 | *PEARL HARBOR COMMISSARY | NON DETECT    |
| 22-01516  | 12/3/2021  | 4627 SCOTT LP            | NON DETECT    |
| 22-00963  | 11/30/2021 | 829 RAMAGE ST            | NON DETECT    |
| 22-01025  | 12/1/2021  | 3199 GILLESPIE LN        | NON DETECT    |
| 22-01168  | 12/2/2021  | 6231 NAUPAKA ST          | NON DETECT    |
| 22-02078  | 12/10/2021 | *CAMP SMITH CLINIC       | NON DETECT    |
| 22-00876  | 11/30/2021 | 2815 ARIZONA RD          | NON DETECT    |
| 22-01185  | 12/2/2021  | 1828 MADRONA PL          | NON DETECT    |
| 22-01215  | 12/2/2021  | 4076 ENGER ST            | NON DETECT    |
| 22-00950  | 11/30/2021 | 4113 HAMPTON ST          | NON DETECT    |
| 22-01180  | 12/2/2021  | 866 MURRAY DR            | NON DETECT    |
| 22-01781  | 12/7/2021  | 937 OHANA NUI CT         | NON DETECT    |
| 22-01480  | 12/3/2021  | 3362 KILMER LN           | NON DETECT    |
| 22-00874  | 11/30/2021 | 4044 ENGER ST            | NON DETECT    |
| 22-00946  | 11/30/2021 | 814 RAMALE ST            | NON DETECT    |
| 22-01361  | 12/2/2021  | 4639 KE ST               | NON DETECT    |
| 22-01370  | 12/2/2021  | 2863 ARIZONA RD          | NON DETECT    |
| 22-01373  | 12/2/2021  | 3008 ARIZONA RD          | NON DETECT    |